ELECTROCHIMICA *Acta*

THE JOURNAL OF THE INTERNATIONAL SOCIETY
OF ELECTROCHEMISTRY

AUTHOR INDEX
SUBJECT INDEX

VOLUME 44 (1999)

PERGAMON

PERGAMON

Electrochimica Acta 44 (1999) 1—28

ELECTROCHIMICA Acta

www.elsevier.nl/locate/electacta

Author Index for Volume 44 (1999)

A

Aballe, A., Bethencourt, M., Botana, F.J. and Marcos, M.
Using wavelets transform in the analysis of electrochemical noise data, 4805
Abd El Meguid, E.A., see Massong, H., 1379
Abdul Jabbar, M., see Kunugi, A., 4583
Abrantes, L.M. and Correia, J.P.
On the initiation and growth of polymer films onto electrode surfaces, 1901
Abruña, H.D., see Herrero, E., 983, 2385
Aeiyach, S., Zaid, B. and Lacaze, P.C.
A one-step electrosynthesis of PPy films on zinc substrates by anodic polymerization of pyrrole in aqueous solution, 2889
Afanasiev, S.D., see Volfkovich, Yu.M., 1543
Agnihotry, S.A., Pradeep and Sekhon, S.S.
PMMA based gel electrolyte for EC smart windows, 3121
Agostinho, S.M.L., see Brolo, A.G., 559
Agrawal, A., see Teowee, G., 3017
Aguirre, M.J., see Andrade, G.T., 633
Aguirre, M.J., see Zagal, J.H., 1349
Ahlberg Tidblad, A. and Herlitz, F.
Initial growth of calcic deposits on the cathode of a chlorate cell. Surface characterization using scanning electron microscopy and X-ray microanalysis (SEM/EDS), 2251
Ahonen, H.J., see Kvarnström, C., 2739
Akhtar, S.P., see Monk, P.M.S., 4817
Al Baradii, A., Kokoh, K.B., Huser, H., Lamy, C. and Léger, J.-M.
Selective electrocatalytic oxidation of 2,5-dihydroxymethylfuran in aqueous medium: a chromatographic analysis of the reaction products, 2779
Alarnes-Varela, G., see Suárez-Fernández, A.L., 4489
Alarnes-Varela, G., Suárez-Fernández, A.L. and Costa-García, A.
Formation of mercury-coated carbon fiber microelectrodes in aprotic media: application to the voltammetric study of vitamin K_1, 763
Albalat, R., see Carbó, R., 1097
Alcaraz, M.-L., see Molina, A., 1263
Aldaz, A., see Huerta, F., 943
Aldaz, A., see Proença, L., 735
Aldaz, A., see Proença, L., 1163
Aldaz, A., see Rodes, A., 1077
Alemany, A., see Ngo Boum, G.B., 1749
Al-Kharafi, F.M., see Badawy, W.A., 693
Allemand, P., see Teowee, G., 3017
Alodan, M. and Smyrl, W.
Effect of thiourea on copper dissolution and deposition, 299
Alodan, M.A. and Stover, L.E.
Selective plating without masking, 3721
Alonso, C., see Herrero, E., 983
Alvarez-Gallegos, A. and Pletcher, D.
The removal of low level organics via hydrogen peroxide formed in a reticulated vitreous carbon cathode cell, Part 1. The electrosynthesis of hydrogen peroxide in aqueous acidic solutions, 853
Alverez-Gallegos, A. and Pletcher, D.
The removal of low level organics via hydrogen peroxide formed in a reticulated vitreous carbon cathode cell. Part 2: The removal of phenols and related compounds from aqueous effluents, 2483
Alves, O.L., see Maia, D.J., 1945
Alves, V.A., da Silva, L.A. and Boodts, J.F.C.
Surface characterisation of $IrO_2/TiO_2/CeO_2$ oxide electrodes and Faradaic impedance investigation of the oxygen evolution reaction from alkaline solution, 1525
Ammeloot, F., Fiaud, C. and Sutter, E.M.M.
Characterization of the oxide layers on a Cu-13Sn alloy in a NaCl aqueous solution without and with 0.1 M benzotriazole. Electrochemical and photoelectrochemical contributions, 2549
Anderson, A.B., see Grantscharova-Anderson, E., 4543
Andonoglou, P.P., Jannakoudakis, A.D., Jannakoudakis, P.D. and Theodoridou, E.
Preparation and electrocatalytic activity of rhodium modified pitch-based carbon fiber electrodes, 1455
Andrade, C., Blanco, V.M., Collazo, A., Keddam, M., Nóvoa, X.R. and Takenouti, H.
Cement paste hardening process studied by impedance spectroscopy, 4313

PII: S0013-4686(99)00409-0

Andrade, G.T., Aguirre, M.J. and Biaggio, S.R.
Influence of the first potential scan on the morphology and electrical properties of potentiodynamically grown polyaniline films, 633
Andreani, F., see Dini, D., 1911
Andreani, F., see Tarola, A., 4189
Andreoli, R., see Fontanesi, C., 977
Annergren, I., Zou, F. and Thierry, D.
Application of localised electrochemical techniques to study kinetics of initiation and propagation during pit growth, 4383
Ansermet, J.-P., see Vuissoz, P.-A., 1397
Anson, F.C., see Kloster, G.M., 2271
Anson, F.C., see Nguyen, F., 239
Anson, F.C., see Shi, M., 1301
Aoki, K., see Tezuka, Y., 1871
Aoki, K., see Vorotyntsev, M.A., 2105
Aoki, K., see Yano, J., 337
Apparao, B.V., see Rajendran, S., 533
Arakawa, R., see Rahman, M.A., 39
Araki, K. and Toma, H.E.
Electrochemistry of a tetraruthenated iron porphyrin and its electrostatically assembled bilayered films, 1577
Aramata, A., Taguchi, S., Fukuda, T., Nakamura, M. and Horányi, G.
Underpotential deposition of zinc ions at single crystal electrodes and the effect of the adsorbed anions, 999
Arbi Bazzaoui, E., see Piro, B., 1953
Arévalo, M.C., Gomis-Bas, C. and Hahn, F.
Reduced CO_2 on a polycrystalline Rh electrode in acid solution: electrochemical and in situ IR reflectance spectroscopic studies, 1369
Argyropoulos, P., Scott, K. and Taama, W.M.
Carbon dioxide evolution patterns in direct methanol fuel cells, 3575
Armitage, R., see von Rottkay, K., 3093
Arpigny, S., see Le Naour, C., 3505
Arvia, A.J., see Gómez, M.M., 1255
Arvia, A.J., see Terán Arce, F., 1053
Asano, T., see Naishikitani, Y., 3211
Astakhova, R.K., Balushkina, S.R., Savvy, I.V. and Malev, V.V.
Double layer effects in the electrode kinetics of quasi-equilibrium redox reactions, 967
Auclair, B., see Tran, S., 2515
Avaca, L.A., see Mattos-Costa, F.I., 1515
Avgousti, C., Georgolios, N., Kyriacou, G. and Ritzoulis, G.
The electrochemical oxidation of tetrahydrofuran in sulphuric acid solution, 3295
Azens, A., Vaivars, G., Kullman, L. and Granqvist, C.G.
Electrochromism of Cr oxide films, 3059
Azevedo, C., Bezerra, P.S.A., Esteves, F., Joia, C.J.B.M. and Mattos, O.R.
Hydrogen permeation studied by electrochemical techniques, 4431

B

Babi, R., Metikoš-Huković, M. and Lonar, M.
Impedance and photoelectrochemical study of surface layers on Cu and Cu-10Ni in acetate solution containing benzotriazole, 2413
Bach, C., see Stuhlmann, C., 993
Bach, S., see Cachet-Vivier, C., 2705
Badawy, W.A. and Al-Kharafi, F.M.
Corrosion and passivation behaviors of molybdenum in aqueous solutions of different pH, 693
Baert, D. and Vervaet, A.
Lead-acid battery model for the derivation of Peukert's law, 3491
Bailes, M., see Walker, R.C., 1289
Baker, B.C. and West, A.C.
A flow modulation study of nickel-iron codeposition, 1567
Bala, H., see Malik, M.A., 2157
Balasubramanian, M. and Melendres, C.A.
An X-ray absorption near-edge spectroscopy study of the oxidation state of chromium in electrodeposited oxide films, 2941
Baltruschat, H., see Langkau, T., 909
Baltruschat, H., see Massong, H., 1379
Balushkina, S.R., see Astakhova, R.K., 967
Bandey, H.L., see Rodríguez Presa, M.J., 2073
Barber, J., see Conway, B.E., 1109
Barbin, N.M. and Nekrasov, V.N.
The physicochemical and electrochemical behavior of lithium oxide in the equimolar NaCl-KCl melt, 4479
Barbosa, M.R., Bastos, J.A., García-Jareño, J.J. and Vicente, F.
Chloride role in the surface of nickel electrode, 957
Barbucci, A., see Delucchi, M., 4297
Barcia, O.E., see Geraldo, A.B., 455
Barhoun, A., see Lantelme, F., 421
Barletta, G., see Pennisi, A., 3237
Barth, M., Lapkowski, M. and Lefrant, S.
Electrochemical behaviour of polyaniline films doped with heteropolyanions of Keggin structure, 2117
Bartl, A., see Rapta, P., 3483
Bastos, J.A., see Barbosa, M.R., 957
Batina, N., see Carreño, G., 2633
Baumgartner, P., see Ding, Z., 3
Bayet, E., Huet, F., Keddam, M., Ogle, K. and Takenouti, H.
Local electrochemical impedance measurement: scanning vibrating electrode technique in ac mode, 4117
Beattie, P.D., see Lai, E.K.W., 2559
Beck, F., Krohn, H., Kaiser, W., Fryda, M., Klages, C.P. and Schäfer, L.
Boron doped diamond/titanium composite electrodes for electrochemical gas generation from aqueous electrolytes, 525

Belk, J., see Brotherston, I.D., 2993
Bell, J.M., see Matthews, J.P., 3245
Bell, J.M., see Skryabin, I.L., 3203
Bello, M.E., see de Melo, J.V., 2405
Belmont, C., Ferrigno, R., Leclerc, O. and Girault, H.H.
Coplanar interdigitated band electrodes for electrosynthesis. Part 4: Application to sea water electrolysis, 597
Beltramo, G., see Pettinger, B., 897
Benballa, M., see Elkhatabi, F., 1645
Benčič, S., see Šurca, A., 3075
Benedetti, L., see Fontanesi, C., 977
Benjamin, I. and Kharkats, Y.I.
Reorganization free energy for electron transfer reactions at liquid/liquid interfaces, 133
Benson, D.K., see Lee, S.-H., 3111
Benson, D.K., see Tracy, C.E., 3195
Bergelin, M., Feliu, J.M. and Wasberg, M.
Study of carbon monoxide adsorption and oxidation on Pt(111) by using an electrochemical impinging jet cell, 1069
Berger, C.E.M., Horrocks, B.R. and Datta, H.K.
Application of ion-selective microelectrodes to the detection of calcium release during bone resorption, 2677
Berhil, M., see Chaussé, A., 2365
Berlin, A., see Casalbore-Miceli, G., 4781
Bernard, M.-C., Cordoba de Torresi, S. and Hugot-Le Goff, A.
In situ Raman study of sulfonate-doped polyaniline, 1989
Bernard, M.-C., Hugot-Le Goff, A. and Zeng, W.
Elaboration and study of a PANI/PAMPS/WO_3 all solid-state electrochromic device, 781
Berthier, F., Diard, J.-P. and Montella, C.
Hopf bifurcation and sign of the transfer resistance, 2397
Bertoncello, R., Furlanetto, F., Guerriero, P. and Musiani, M.
Electrodeposited composite electrode materials: effect of the concentration of the electrocatalytic dispersed phase on the electrode activity, 4061
Bertrand, P., see Faubert, G., 2589
Bessiere, J., see Lefevre, G., 1817
Bethencourt, M., see Aballe, A., 4805
Betova, I., see Bojinov, M., 721
Bezerra, P.S.A., see Azevedo, C., 4431
Biaggio, S.R., see Andrade, G.T., 633
Bianco, P., see Lojou, É., 3341
Bianco, P., see Tuccio, B., 4631
Biedenkopf, P., Spiegel, M. and Grabke, H.J.
The corrosion behaviour of iron and chromium in molten $(Li_{0.62}K_{0.38})_2CO_3$, 683
Bilger, C., see Pettinger, B., 897
Billaud, D., see Dubois, M., 805
Birss, V.I., see Dinh, H.N., 4763
Birss, V.I., see Elzanowska, H., 4515
Birss, V.I., see Xia, S.J., 467
Bjerrum, N.J., see Robert, E., 1689
Blais, S., see Sung, Y.-E., 1019
Blanco, V.M., see Andrade, C., 4313
Blank, E., see Fisher, V., 521
Blin, J.-L., see Walcarius, A., 4601
Blomquist, S., see Kvarnström, C., 2739
Boehme, J.L., see Brotherston, I.D., 2993
Bojinov, M., Betova, I. and Raicheff, R.
Influence of pH on the anodic dissolution mechanism of Fe-Mo alloys in sulphate solutions, 721
Bojinov, M., Fabricius, G., Laitinen, T. and Saario, T.
Transpassivity mechanism of iron-chromium-molybdenum alloys studied by AC impedance, DC resistance and RRDE measurements, 4331
Bojinov, M., Fabricius, G., Laitinen, T., Saario, T. and Sundholm, G.
Conduction mechanism of the anodic film on chromium in acidic sulphate solutions, 247
Bonnel, K., Le Pen, C. and Pébère, N.
E.I.S. characterization of protective coatings on aluminium alloys, 4259
Bonora, P., see Fedrizzi, L., 4251
Bonora, P.L., see Deflorian, F., 4243
Boodts, J.F.C., see Alves, V.A., 1525
Boodts, J.F.C., see Lassali, T.A.F., 4203
Boodts, J.F.C., see Zanta, C.L.P.S., 3333
Botana, F.J., see Aballe, A., 4805
Bouresli, K., see Habib, K., 4635
Bousselmi, L., Fiaud, C., Tribollet, B. and Triki, E.
Impedance spectroscopic study of a steel electrode in condition of scaling and corrosion Interphase model, 4357
Bouteiller, J.C., see Tuccio, B., 4631
Bouteillon, J., see Gabriel, J.C., 4619
Bouteillon, J., see Mohamedi, M., 797
Bouzek, K., Lipovská, M., Schmidt, M., Roušar, I. and Wragg, A.A.
Electrochemical production of ferrate(VI) using sinusoidal alternating current superimposed on direct current: grey and white cast iron electrodesThis paper is dedicated to the memory of Professor Ivo Roušar, 547
Boyer, M.I., Quillard, S., Cochet, M., Louarn, G. and Lefrant, S.
RRS characterization of selected oligomers of polyaniline in situ spectroelectrochemical study, 1981
Bradhurst, D.H., see Chen, J., 353
Breiter, M.W., see Dygas, J.R., 4163
Breslin, C.B. and Mac Donald, D.D.
The influence of UV light on the dissolution and passive behavior of copper-containing alloys in chloride solutions, 643
Brett, C.M.A., Oliveira Brett, A.M. and Serrano, S.H.P.
An EIS study of DNA-modified electrodes, 4233
Brevet, P.-F., see Ding, Z., 3
Brevet, P.F., see Ferrigno, R., 587
Brock, J.D., see Herrero, E., 983
Brolo, A.G., Temperini, M.L.A. and Agostinho, S.M.L.
Copper dissolution in bromide medium in the absence and presence of hexamethylenetetramine (HMTA), 559

Brotherston, I.D., Mudigonda, D.S.K., Osborn, J.M., Belk, J., Chen, J., Loveday, D.C., Boehme, J.L., Ferraris, J.P. and Meeker, D.L.
Tailoring the electrochromic properties of devices via polymer blends, copolymers, laminates and patterns, 2993
Brouillette, C., Perron, G. and Desnoyers, J.E.
Effect of viscosity and volume on the specific conductivity of lithium salts in solvent mixtures, 4721
Brown, G.M., see Shimizu, K., 2297
Brunetti, V., Villullas, H.M. and López Teijelo, M.
Anodic film formation on silver in solutions containing chromate, 2843
Brunetti, V., Villullas, H.M. and López Teijelo, M.
Potentiodynamic growth of anodic silver chromate layers, 4693
Brusa, M., see Quartarone, E., 677
Bruton, G.M., see Burke, L.D., 1467
Bruzzoni, P., Carranza, R.M. and Collet Lacoste, J.R.
A pressure modulation method to study surface effects in hydrogen permeation through iron base alloys, 4443
Bruzzoni, P., Carranza, R.M., Collet Lacoste, J.R. and Crespo, E.A.
Hydrogen diffusion in α-iron studied using an electrochemical permeation transfer function, 2693
Buck, R.P. and Mundt, C.
Origins of finite transmission lines for exact representations of transport by the Nernst-Planck equations for each charge carrier, 1999
Bulhões, L.O.S., see Faria, R.C., 1597
Bulhões, L.O.S., see Lassali, T.A.F., 4203
Buller, L.J., see Herrero, E., 983
Bureau, C., Soudan, J.-M. and Lecayon, G.
On the influence of RRC and RSC dimerizations on the shape of semi-integrated voltammograms: a mixed asymptotic and numerical analysis, 3303
Burgot, J.-L., see Chollet, M., 201
Burke, L.D. and Hurley, L.M.
The redox behaviour of thermally pretreated, highly disrupted, states of platinum surfaces in aqueous media, 3451
Burke, L.D., Bruton, G.M. and Collins, J.A.
The redox properties of active sites and the importance of the latter in electrocatalysis at copper in base, 1467
Buß, G., Schöning, M.J., Lüth, H. and Schultze, J.W.
Modifications and characterization of a silicon-based microelectrode array, 3899
Buß, G., see Schmitt, G., 3865
Bussac, M.N., see Miomandre, F., 2019
Bustero, I., Cheng, Y., Mugica, J.C., Fernández-Otero, T., Fernando Silva, A. and Schiffrin, D.J.
Electro-assisted solvent extraction of Cu^{2+}, Ni^{2+} and Cd^{2+}, 29
Butt, N.S., see Gavanier, B., 3251

C

Cabot, P.L., see Guzman, L., 2625
Cachet, C. and Wiart, R.
Influence of a perfluorinated surfactant on the mechanism of zinc deposition in acidic electrolytes, 4743
Cachet-Vivier, C., Bach, S. and Pereira-Ramos, J.-P.
Electrochemical proton insertion in manganese spinel oxides from aqueous borate solution, 2705
Calvente, J.J., see Fawcett, W.R., 881
Camaioni, N., see Casalbore-Miceli, G., 4781
Campesato, R., see Casalbore-Miceli, G., 4781
Cantero, I., see Otero, T.F., 2053
Carbó, R., Albalat, R. and Claret, J.
Effect of the irreversible adsorption of oxocarbons on the structure of bismuth adlayers on Pt(111) electrodes, 1097
Cardellini, F., see Varsano, F., 3149
Cárdenas-Jirón, G., see Zagal, J.H., 1349
Carranza, R.M., see Bruzzoni, P., 2693, 4443
Carreño, G., Sosa, E., González, I., Ponce-de-León, C., Batina, N. and Oropeza, M.T.
Anion influence in lead removal from aqueous solution by deposition onto a vitreous carbon electrode, 2633
Carrupt, P.-A., see Ding, Z., 3
Casalbore-Miceli, G., Camaioni, N., Geri, A., Berlin, A. and Campesato, R.
Poly(dihexadecyl-4*H*-cyclopenta[2,1-*b*:3,4-*b*′]dithiophene) film formation by cyclic voltammetry: dependence of the optical properties and morphology on the thickness, 4781
Casalbore-Miceli, G., see De Paoli, M.-A., 2983
Casalbore-Miceli, G., see Gazotti Jr, W.A., 1965
Casella, I.G.
Electrocatalytic oxidation of oxalic acid on palladium-based modified glassy carbon electrode in acidic medium, 3353
Cazzanelli, E., Scaramuzza, N., Strangi, G., Versace, C., Pennisi, A. and Simone, F.
Insertion of thin films of WO_3 in liquid crystal cells, 3101
Cerisola, G., see Delucchi, M., 4297
Chaparro, A.M., Ellmer, K. and Tributsch, H.
Comparative study of charge carrier reactivity in single crystalline and polycrystalline ZnO electrodes via photo-induced microwave electrochemical technique, 1655
Chartier, P., see De Faria, L.A., 1481
Chartier, P., see Rios, E., 1491
Chaussé, A., Berhil, M. and Messina, R.
A study of the Li/Li^+ couple in DMC and PC solvents Part 2: Electrochemical studies of the Li/Li^+ couple in $LiAsF_6$/DMC and $LiAsF_6$/PC solutions, 2365
Chaussé, A., see Doucey, L., 2371
Chausse, A., see Laik, B., 773, 1667
Chen, A., see Richer, J.F., 1037

Chen, C.P., see Pan, H., 2263, 3977
Chen, H.-Y., see Chen, Y., 2345
Chen, J., Bradhurst, D.H., Dou, S.X. and Liu, H.K.
Electrode properties of Mg_2Ni alloy ball-milled with cobalt powder, 353
Chen, J., see Brotherston, I.D., 2993
Chen, L., Myung, N., Sumodjo, P.T.A. and Nobe, K.
A comparative electrodissolution and localized corrosion study of 2024Al in halide media, 2751
Chen, S. and Schell, M.
Bistability and excitability in the electrochemical oxidation of ethanol, 4773
Chen, Y. and Jepson, W.P.
EIS measurement for corrosion monitoring under multiphase flow conditions, 4453
Chen, Y., see Pan, H., 2263
Chen, Y., Zheng, J.-M., Zhu, S.-M. and Chen, H.-Y.
Evidence for hemin inducing the cleavage of peroxide bond of artemisinin (Qinghaosu): cyclic voltammetry and in situ FT IR spectroelectrochemical studies on the reduction mechanism of artemisinin in the presence of hemin, 2345
Cheng, Y., see Bustero, I., 29
Cheng, Y.F. and Luo, J.L.
Passivity and pitting of carbon steel in chromate solutions, 4795
Cheng, Y.F. and Luo, J.L.
Electronic structure and pitting susceptibility of passive film on carbon steel, 2947
Cheong, H.M., see Lee, S.-H., 3111
Chernyak, A.O., see Koval'chuk, E.P., 4079
Chialvo, A.C., see Gennero de Chialvo, M.R., 841
Chimenos, J.M., see Guzman, L., 2625
Choi, W.-K., see Iwakura, C., 1677
Choi, Y.-M., Pyun, S.-I. and Paulsen, J.M.
Lithium transport through porous $Li_{1-\delta}CoO_2$ electrode: analysis of current transient, 623
Chollet, M., Burgot, J.-L. and Moinet, C.
Selective indirect electroreduction of 5-(nitrophenyl)-1,2-dithiole-3-thiones, 201
Choquette, Y., see Tran-Van, F., 2789
Chottiner, G.S., see Li, L.-F., 949
Christensen, E., see Robert, E., 1689
Christie, A.M., see Christie, L., 2909
Christie, L., Christie, A.M. and Vincent, C.A.
Measurement of the apparent lithium ion transference number and salt diffusion coefficient in solid polymer electrolytes, 2909
Chrzanowski, W., see Sung, Y.-E., 1019
Chu, D., see Saffarian, H.M., 1447
Church, J.S., see Huang, B.X., 2571
Claes, P., Mernier, F., Wery, L. and Glibert, J.
Composition dependence of the oxoacidobasic properties of molten hydroxides, 3999
Claret, J., see Carbó, R., 1097
Claude, E., see Highfield, J.G., 2805
Clavilier, J., see Lazarescu, V., 931
Clavilier, J., see Orts. J.M., 1221
Climent, V., Herrero, E. and Feliu, J.M.
Electrocatalysis of formic acid and CO oxidation on antimony-modified Pt(111) electrodes, 1403
Climent, V., see Rodes, A., 1077
Clotet, A., see Illas, F., 1213
Cochet, M., see Boyer, M.I., 1981
Collazo, A., Nóvoa, X.R. and Pérez, C.
Corrosion behaviour of cermet coatings in artificial seawater, 4289
Collazo, A., see Andrade, C., 4313
Collet Lacoste, J.R., see Bruzzoni, P., 2693
Collet Lacoste, J.R., see Bruzzoni, P., 4443
Collins, J.A., see Burke, L.D., 1467
Colucci, J., Montalvo, V., Hernandez, R. and Poullet, C.
Electrochemical oxidation potential of photocatalyst reducing agents, 2507
Combel, M., see Groult, H., 2793
Comninellis, C., see Ferrigno, R., 2871
Comninellis, Ch., see Fisher, V., 521
Comninellis, Ch., see Fóti, G., 813
Conway, B.E., Barber, J. and Morin, S.
Comparative evaluation of surface structure specificity of kinetics of UPD and OPD of H at single-crystal Pt electrodes, 1109
Conway, B.E., see Liu, T.-C., 2829
Cordoba de Torresi, S., see Bernard, M.-C., 1989
Córdoba de Torresi, S.I., see Pereira da Silva, J.E., 1887
Correia, J.P., see Abrantes, L.M., 1901
Cosnier, S. and Lepellec, A.
Poly(pyrrole-biotin): a new polymer for biomolecule grafting on electrode surfaces, 1833
Costa-García, A., see Alarnes-Varela, G., 763
Costa-García, A., see Suárez-Fernández, A.L., 4489
Côté, R., see Faubert, G., 2589
Crespo, E.A., see Bruzzoni, P., 2693
Cronin, J., see Teowee, G., 3017
Csiszár, M., see Szücs, Á., 613
Cubitt, R., see Wilson, R.W., 3533
Cui, N. and Luo, J.L.
Effects of oxide additions on electrochemical hydriding and dehydriding behavior of Mg_2Ni-type hydrogen storage alloy electrode in 6 M KOH solution, 711
Cui, N., He, P. and Luo, J.L.
Synthesis and characterization of nanocrystalline magnesium-based hydrogen storage alloy electrode materials, 3549
Curulla, D., see Illas, F., 1213
Czanderna, A.W., see Tracy, C.E., 3195
Czerwinski, F.
The microstructure and internal stress of Fe-Ni nanocrystalline alloys electrodeposited without a stress-reliever, 667

D

Da Cunha Belo, M., Hakiki, N.E. and Ferreira, M.G.S.
Semiconducting properties of passive films formed on nickel-base alloys type Alloy 600: influence of the alloying elements, 2473
da Silva, L.A., see Alves, V.A., 1525
Daenen, T., see Goldbach, S., 323
Dahn, J.R., see Larcher, D., 4069
Dai, W., see Yang, R., 1585
Dailey, A., Shin, J. and Korzeniewski, C.
Ethylene glycol electrochemical oxidation at platinum probed by ion chromatography and infrared spectroscopy, 1147
Damlin, P., Kvarnström, C. and Ivaska, A
Electrochemical synthesis of poly(*para*phenylene vinylene) films, 1919
Dammak, L., see Tran, S., 2515
Dao, L.H., see Song, H.-K., 3513
Darowicki, K. and Majewska, J.
The effect of a polyharmonic structure of the perturbation signal on the results of harmonic analysis of the current of a first-order electrode reaction, 483
Darowicki, K. and Orlikowski, J.
Fast method for the determination of the charge transfer coefficient of an electrode reaction, 433
das Neves, S., see Maia, D.J., 1945
Datta, H.K., see Berger, C.E.M., 2677
Davepon, B., see Voigt, O., 3731
Davies, J.C., Hayden, B.E. and Pegg, D.J.
The electrooxidation of carbon monoxide on ruthenium modified Pt(110), 1181
Dávila, M., Elizalde, M.P., González, M., Pérez, M.A. and Silva, R.
Morphological and electrochemical characterization of Ni-polyvinylchloride composites, 1307
de Albuquerque Maranhão, S.L. and Torresi, R.M.
Quartz crystal microbalance study of charge compensation process in polyaniline films doped with surfactant anions, 1879
de Andrade, A.R., see Zanta, C.L.P.S., 3333
de Azevêdo, W.M., see de Melo, J.V., 2405
De Battisti, A., see Tomcsányi, L., 2463
De Faria, L.A., Prestat, M., Koenig, J.-F., Chartier, P. and Trasatti, S.
Surface properties of Ni+Co mixed oxides: a study by X-rays, XPS, BET and PZC, 1481
de Lima-Neto, P., see Mattos-Costa, F.I., 1515
de Melo, J.V., Bello, M.E., de Azevêdo, W.M., de Souza, J.M. and Diniz, F.B.
The effect of glutaraldehyde on the electrochemical behavior of polyaniline, 2405
De Paoli, M.-A., Casalbore-Miceli, G., Girotto, E.M. and Gazotti, W.A.
All polymeric solid state electrochromic devices, 2983
De Paoli, M.-A., see Gazotti Jr, W.A., 1965
De Paoli, M.-A., see Maia, D.J., 1945
De Paoli, M.-A., see Micaroni, L., 753
de Souza, J.M., see de Melo, J.V., 2405
de Vries, G.C.
Electrochromic variable transmission glass for picture tubes, 3185
Deb, S.K., see Lee, S.-H., 3111
Deb, S.K., see Tracy, C.E., 3195
Decker, F., see Dini, D., 1911
Decker, F., see Masetti, E., 3117
Decker, F., see Micaroni, L., 753
Decker, F., see Picardi, G., 3157
Decker, F., see Tarola, A., 4189
Decker, F., see Varsano, F., 3149
Deflorian, F., Fedrizzi, L., Rossi, S. and Bonora, P.L.
Organic coating capacitance measurement by EIS: ideal and actual trends, 4243
Deflorian, F., see Fedrizzi, L., 4251
Delabouglise, D., see Tran-Van, F., 2789
Delamar, M., see Meneguzzi, A., 2149
Delucchi, M., Barbucci, A. and Cerisola, G.
Optimization of coil coating systems by means of electrochemical impedance spectroscopy, 4297
Deng, B., Li, Y., Wang, R. and Fang, S.
Two reduction processes for hydrogen adsorption and absorption at $MmNi_5$-type alloy electrodes, 2853
Deng, J., see Yang, R., 1585
Deslouis, C., El Moustafid, T., Musiani, M.M., Orazem, M.E., Provost, V. and Tribollet, B.
Effect of cations on the diffusivity of the charge carriers in polyaniline membranes, 2087
Deslouis, C., see Frateur, I., 4345
Deslouis, C., see Orazem, M.E., 4403
Deslouis, C., see Vorotyntsev, M.A., 2105
Desnoyers, J.E., see Brouillette, C., 4721
Despi, A.R., see Marinović, V., 4073
Devilliers, D., see Groult, H., 2793, 3521
Devilliers, D., see Mahé, E., 2307
Di Marco, G., see Pennisi, A., 3237
Di Quarto, F., Romano, M.C., Piazza, S. and Sunseri, C.
Photoelectrochemical study of electrochemically formed semiconducting yttrium hydride (YH_{3-x}), 4051
Diard, J.-P., see Berthier, F., 2397
Dieckmann, G.R. and Langer, S.H.
Comparisons of Ebonex® and graphite supports for platinum and nickel electrocatalysts, 437
Dietz, H., see Plieth, W., 3659
Ding, Z., Reymond, F., Baumgartner, P., Fermín, D.J., Brevet, P.-F., Carrupt, P.-A. and Girault, H.H.
Mechanism and dynamics of methyl and ethyl orange transfer across the water/1,2-dichloroethane interface, 3
Dinh, H.N. and Birss, V.I.
Characteristics of the polyaniline anodic pre-peak, 4763

Dini, D., Decker, F., Zotti, G., Schiavon, G., Zecchin, S., Andreani, F., Salatelli, E. and Lanzi, M.
EQCM Characterization of some substituted polyterthiophenes, 1911
Dini, D., see Micaroni, L., 753
Dini, D., see Tarola, A., 4189
Diniz, F.B., see de Melo, J.V., 2405
Doblhofer, K., see Flätgen, G., 4499
Doblhofer, K., see Savinova, E.R., 1341
Doblhofer, K., see Treindl, L., 3963
Dodelet, J.P., see Faubert, G., 2589
Doe, H., see Rahman, M.A., 39
Dou, S.X., see Chen, J., 353
Doucey, L., Revault, M., Lautié, A., Chaussé, A. and Messina, R.
A study of the Li/Li^+ couple in DMC and PC solvents Part 1: Characterization of $LiAsF_6$/DMC and $LiAsF_6$/PC solutions, 2371
Dražič, D.M., see Tripković, A.V., 1135
Du, R., see Flis, J., 3989
Dubois, M. and Billaud, D.
Effects of the electrolyte composition on the electrochemical intercalation of lithium ions into polyparaphenylene, 805
Duine, P.A., see von Rottkay, K., 3093
Dunsch, L., see Kramer, C., 819
Dunsch, L., see Rapta, P., 3483
Dunsch, L., see Roßberg, K., 2061
Durand, R., see Geniès, L., 1317
Durand-Vidal, S., see Groult, H., 2793
Durbha, M., see Orazem, M.E., 4403
Durry, S., see Günzel, D., 3785
Dygas, J.R. and Breiter, M.W.
Variance of errors and elimination of outliers in the least squares analysis of impedance spectra, 4163

E

Earthman, J.C., see Ismail, Kh.M., 4685
Efimov, O.N., see Volfkovich, Yu.M., 1543
Ehrfeld, W., see Löwe, H., 3679
Ehrlich, J., see Lust, E., 4707
Eickes, C., see Flätgen, G., 4499
Einhorn, C., see Gorgy, K., 385
Einhorn, J., see Gorgy, K., 385
El Moustafid, T., see Deslouis, C., 2087
Elizalde, M.P., see Dávila, M., 1307
Elkhatabi, F., Benballa, M., Sarret, M. and Müller, C.
Dependence of coating characteristics on deposition potential for electrodeposited Zn-Ni alloys, 1645
Ellmer, K., see Chaparro, A.M., 1655
Elothmani, D., see Le Guillanton, G., 4787
Elzanowska, H., Segal, J. and Birss, V.I.
Complications associated with kinetic studies of hydrous Ir oxide films, 4515
Emons, H., see Glück, O., 3761
Enea, O. and McEvoy, A.J.
Electrooxidation reactions on gas-diffusion electrodes catalyzed by DC sputtered Pt, 1441
Engelmann, G., see Welzel, H.-P., 1827
Eriksson, A. and Nyholm, L.
A comparison of the electrochemical properties of some azosalicylic acids at glassy carbon electrodes by cyclic and hydrodynamic voltammetry, 4029
Ertl, G., see Flätgen, G., 4499
Espiell, F., see Guzman, L., 2625
Esteves, F., see Azevedo, C., 4431
Ett, G. and Pessine, E.J.
Pulse current plating of TiB_2 in molten fluoride, 2859
Evans, G., see Skryabin, I.L., 3203
Evstefeeva, Y.E., see Pleskov, Y.V., 3361

F

Fabricius, G., see Bojinov, M., 247, 4331
Fahidy, T.Z.
Some applications of decision theory to electrochemical processes, 3559
Fang, S., see Deng, B., 2853
Fang, S.-B., see Hu, S.-W., 2721
Farcy, J., see Vivier, V., 831
Faria, R.C. and Bulhões, L.O.S.
Synthesis and electrochemical response of poly-(1-aminoanthracene) films, 1597
Faßbender, F., see Schmitt, G., 3865
Faubert, G., Côté, R., Dodelet, J.P., Lefèvre, M. and Bertrand, P.
Oxygen reduction catalysts for polymer electrolyte fuel cells from the pyrolysis of Fe^{II} acetate adsorbed on 3,4,9,10-perylenetetracarboxylic dianhydride, 2589
Faure, R., see Geniès, L., 1317
Fawcett, W.R., Kloss, A.A., Calvente, J.J. and Marinkovic, N.
SNIFTIRS studies of the electrical double layer at gold electrodes, 881
Fedrizzi, L., Deflorian, F. and Bonora, P.
Evaluation of the protective properties of organic coatings on copper pipes for refrigerator cooling circuit, 4251
Fedrizzi, L., see Deflorian, F., 4243
Feliu, J.M., see Bergelin, M., 1069
Feliu, J.M., see Climent, V., 1403
Feliu, J.M., see Gómez, R., 1191
Fermín, D.J., see Ding, Z., 3
Fernández-Otero, T., see Bustero, I., 29
Ferraris, J.P., see Brotherston, I.D., 2993
Ferreira, C.A., see Meneguzzi, A., 2149
Ferreira, M.G.S., see Da Cunha Belo, M., 2473

Ferrigno, R., Comninellis, C., Reid, V., Modes, C., Scannell, R. and Girault, H.H.
Coplanar interdigitated band electrodes for electrosynthesis. Part 6. hypochlorite electrogeneration from sea water electrolysis, 2871
Ferrigno, R., Josserand, J., Brevet, P.F. and Girault, H.H.
Coplanar interdigitated band electrodes for electrosynthesis. Part 5: finite element simulation of paired reactions, 587
Ferrigno, R., see Belmont, C., 597
Fiaud, C., see Ammeloot, F., 2549
Fiaud, C., see Bousselmi, L., 4357
Fikus, A., Rammelt, U. and Plieth, W.
Characterization of semiconductor properties of polybithiophene film electrodes in contact with aqueous electrolytes. A combination of electrochemical impedance spectroscopy and photocurrent measurements, 2025
Finnefrock, A.C., see Herrero, E., 983
Fisher, V., Gandini, D., Laufer, S., Blank, E. and Comninellis, Ch.
Preparation and characterization of Ti/Diamond electrodes, 521
Flätgen, G., Wasle, S., Lübke, M., Eickes, C., Radhakrishnan, G., Doblhofer, K. and Ertl, G.
Autocatalytic mechanism of H_2O_2 reduction on Ag electrodes in acidic electrolyte: experiments and simulations, 4499
Flis, J., Zakroczymski, T., Kleshnyal, V., Kobiela, T. and Du, R.
Changes in hydrogen entry rate and in surface of iron during cathodic polarisation in alkaline solutions, 3989
Florit, M.I., see Rodríguez Presa, M.J., 2073
Florit, M.I., see Zerbino, J.O., 1973
Fonsati, M., Zucchi, F. and Trabanelli, G.
Study of corrosion inhibition of copper in 0.1 M NaCl using the EQCM technique, 311
Fonseca, I., see Proença, L., 735, 1163, 1423
Fontanesi, C., Andreoli, R. and Benedetti, L.
The comparative adsorption of aromatics on mercury from water and ethyleneglycol, 977
Fóti, G., Mousty, C., Reid, V. and Comninellis, Ch.
Characterization of DSA type electrodes prepared by rapid thermal decomposition of the metal precursor, 813
Fournier, D., Gleyzes, P., Lafosse, A., Marry, V. and Plichon, V.
Electrolytic flux imaging on band electrodes by interferometric microscopy, 287
Frateur, I., Deslouis, C., Orazem, M.E. and Tribollet, B.
Modeling of the cast iron/drinking water system by electrochemical impedance spectroscopy, 4345
Freyland, W., see Stöhr, U., 2199
Fricoteaux, P. and Savadogo, O.
Electrocatalytic parameters of the electrodeposition of copper with silicotungstic acid (STA), 2927
Frost, D., see Skryabin, I.L., 3203
Fryda, M., see Beck, F., 525
Fujimura, H., see Sudoh, M., 3839
Fujioka, M., see Kunugi, A., 653
Fujishima, A., see Maeda, Y., 3441
Fujishima, A., see Yoshihara, S., 2711
Fukuda, T., see Aramata, A., 999
Fukumuro, N., see Miyazaki, K., 3713
Fung, Y.S. and Mak, J.L.L.
Application of carbon fibre microelectrode for studying the impact of pesticides on a frog's egg, 3855
Furlanetto, F., see Bertoncello, R., 4061

G

Gaberšček, M., see Kovač, M., 863
Gabriel, J.C., Vincent, D., Bouteillon, J., Poignet, J.C., Volkovich, V.A. and Griffiths, T.R.
Molybdenum chemistry in molten LiCl-KCl eutectic: an electrochemical and absorption spectroscopy study of the concentration dependent stability of solutions of K_3MoCl_6, 4619
Gabrielli, C., Keddam, M., Nadi, N. and Perrot, H.
a.c. Electrogravimetry on conducting polymers. Application to polyaniline, 2095
Gabrielli, C., Keddam, M., Perrot, H., Pham, M.C. and Torresi, R.
Separation of ionic and solvent transport during charge compensation processes in electroactive polymers by a.c. electrogravimetry, 4217
Galkowski, M., see Kulesza, P.J., 2131
Galkowski, M.T., see Malik, M.A., 2157
Gallazzi, M.C., see Gazotti Jr, W.A., 1965
Gandini, D., see Fisher, V., 521
Gao, Z., see Xu, W., 2287
García-Jareño, J.J., Sanmatías, A., Navarro-Laboulais, J. and Vicente, F.
Chronoamperometry of prussian blue films on ITO electrodes: ohmic drop and film thickness effect, 4753
García-Jareño, J.J., Sanmatías, A., Navarro-Laboulais, J. and Vicente, F.
The role of potassium and hydrogen ions in the Prussian Blue Everitt's Salt process., 395
García-Jareño, J.J., see Barbosa, M.R., 957
Garfias-Mesias, L.F. and Smyrl, W.H.
High resolution in-situ imaging of reactive heterogeneous surfaces, 3651
Gautier, J.-L., see Rios, E., 1491
Gavanier, B., Butt, N.S., Hutchins, M., Mercier, V., Topping, A.J. and Owen, J.R.
A comparison of the electochemical properties of lithium intercalated amorphous and crystalline tungsten oxide, 3251
Gavrilyuk, A., see Tritthart, U., 3039
Gavrilyuk, A.I.
Photochromism in WO_3 thin films, 3027

Gazotti Jr, W.A., Casalbore-Miceli, G., Mitzakoff, S., Geri, A., Gallazzi, M.C. and De Paoli, M.-A.
Conductive polymer blends as electrochromic materials, 1965
Gazotti, W.A., see De Paoli, M.-A., 2983
Geng, M.M., see Gu, W.B., 4525
Geniès, L., Faure, R. and Durand, R.
Electrochemical reduction of oxygen on platinum nanoparticles in alkaline media, 1317
Gennero de Chialvo, M.R. and Chialvo, A.C.
Kinetics of hydrogen evolution reaction with Frumkin adsorption: re-examination of the Volmer-Heyrovsky and Volmer-Tafel routes, 841
Georgolios, N., see Avgousti, C., 3295
Geraldo, A.B., Barcia, O.E., Mattos, O.R., Huet, F. and Tribollet, B.
New results concerning the oscillations observed for the system iron-sulphuric acid, 455
Geri, A., see Casalbore-Miceli, G., 4781
Geri, A., see Gazotti Jr, W.A., 1965
Gessier, F., see Laik, B., 1667
Gey, W., see Tritthart, U., 3039
Gharghouri, M., see Larcher, D., 4069
Ghodsi, F.E., Tepehan, F.Z. and Tepehan, G.G.
Optical and electrochromic properties of sol-gel made CeO_2-TiO_2 thin films, 3127
Gilbert, B., see Robert, E., 1689
Gilman, S., see Saffarian, H.M., 1447
Girault, H.H., see Belmont, C., 597
Girault, H.H., see Ding, Z., 3
Girault, H.H., see Ferrigno, R., 587, 2871
Girish Kumar, G. and Munichandraiah, N.
Reversibility of Mg/Mg^{2+} couple in a gel polymer electrolyte, 2663
Girotto, E.M., see De Paoli, M.-A., 2983
Gleyzes, P., see Fournier, D., 287
Glibert, J., see Claes, P., 3999
Glidle, A., see Wilson, R.W., 3533
Gloaguen, F., Léger, J.M., Lamy, C., Marmann, A., Stimming, U. and Vogel, R.
Platinum electrodeposition on graphite: electrochemical study and STM imaging, 1805
Glück, O., Schöning, M.J., Lüth, H., Otto, A. and Emons, H.
Trace metal determination by dc resistance changes of microstructured thin gold film electrodes, 3761
Gobi, K.V. and Ohsaka, T.
Electrochemical and spectral properties of novel dinickel(II) and dicopper(II) complexes with *N,N*-linked bis-(pentaazacyclotetradecane), 269
Gofer, Y., see Li, L.-F., 949
Goldbach, S., Messing, W., Daenen, T. and Lapicque, F.
Coupled effects of chloride ions and branch chained polypropylene ether LP-1™ on the electrochemical deposition of copper from sulfate solutions, 323
Gómez, M.M., Vara, J.M., Hernández, J.C., Salvarezza, R.C. and Arvia, A.J.
Steric and barrier effects for a Langmuirian adsorption process at an irregular surface, 1255
Gómez, R. and Feliu, J.M.
Rhodium adlayers on Pt(111) monocrystalline surfaces. Electrochemical behavior and electrocatalysis, 1191
Gómez, R., see Proença, L., 735, 1163
Gomis-Bas, C., see Arévalo, M.C., 1369
Gon Han, D. and Man Choi, G.
Simulation of impedance for 2-D composite, 4155
Gondran, Ch., see Mauvy, F., 2219
Gonnissen, D., Hubin, A. and Vereecken, J.
EIS combined with SERS: a tool to study the adsorption of $S_2O_3^{2-}$ and PMT in silver electroplating conditions, 4129
Gonzalez, E.R., see Perez, J., 1329
González, I., see Carreño, G., 2633
González, J., see Molina, A., 1263
González, M., see Dávila, M., 1307
González, S., see Rodríguez, J.L., 1415
Gorgy, K., Lepretre, J.-C., Saint-Aman, E., Einhorn, C., Einhorn, J., Marcadal, C. and Pierre, J.-L.
Electrocatalytic oxidation of alcohols using substituted *N*-hydroxyphthalimides as catalysts, 385
Gouérec, P. and Savy, M.
Oxygen reduction electrocatalysis: ageing of pyrolyzed cobalt macrocycles dispersed on an active carbon, 2653
Grabke, H.J., see Biedenkopf, P., 683
Grabner, E.W., see Noll, A., 415
Grande, H. and Otero, T.F.
Conformational movements explain logarithmic relaxation in conducting polymers, 1893
Grande, H., see Otero, T.F., 2053
Granqvist, C.G.
Progress in electrochromics: tungsten oxide revisited, 3005
Granqvist, C.G., see Azens, A., 3059
Grantscharova-Anderson, E. and Anderson, A.B.
The prewave in CO oxidation over roughened and Sn alloyed Pt surfaces: possible structure and electronic causes, 4543
Grdadolnik, J., see Kovač, M., 863
Grgur, B.N., see Marković, N.M., 1009
Gribkova, O.L., see Nekrasov, A.A., 2317
Griffiths, T.R., see Gabriel, J.C., 4619
Gritzner, G.
Single-ion transfer properties: a measure of ion-solvation in solvents and solvent mixtures, 73
Groult, H., Devilliers, D., Durand-Vidal, S., Nicolas, F. and Combel, M.
Electronic properties of passivating compounds: application to the fluorine evolution reaction, 2793
Groult, H., Nakajima, T., Kumagai, N. and Devilliers, D.
Structural analysis and electrochemical characteristics of new C_xNF_z compounds in aprotic media, 3521

Groult, H., see Mahé, E., 2307
Grubač, Z. and Metikoš-Huković, M.
Kinetics and mechanism of electrocrystallization of bismuth in oxide matrix, 4559
Grzybowska, B., see Kulesza, P.J., 1295, 2131
Grzybowska, B., see Malik, M.A., 2157
Gu, W.B., Wang, C.Y., Li, S.M., Geng, M.M. and Liaw, B.Y.
Modeling discharge and charge characteristics of nickel-metal hydride batteries, 4525
Gudgel, T., see Teowee, G., 3017
Guerriero, P., see Bertoncello, R., 4061
Guerriero, P., see Musiani, M., 1499
Guery, C., see Taunier, S., 3219
Gulppi, M., see Zagal, J.H., 1349
Günzel, D., Müller, A., Durry, S. and Schlue, W.-R.
Multi-barrelled ion-sensitive microelectrodes and their application in micro-droplets and biological systems, 3785
Gushikem, Y., see Ribeiro, E.S., 3589
Guzman, L., Segarra, M., Chimenos, J.M., Cabot, P.L. and Espiell, F.
Electrochemistry of conventional gold cyanidation, 2625

H

Haas, O., see Piro, B., 1953
Habazaki, H., see Morlidge, J.R., 2423
Habazaki, H., see Shimizu, K., 2297
Habib, K. and Bouresli, K.
Detection of localized corrosion of stainless steels by optical interferrometry, 4635
Hahn, F., see Arévalo, M.C., 1369
Hahn, F., see Proença, L., 1423
Hakiki, N.E., see Da Cunha Belo, M., 2473
Hall, S.B., Khudaish, E.A. and Hart, A.L.
Electrochemical oxidation of hydrogen peroxide at platinum electrodes. Part III: Effect of temperature, 2455
Hall, S.B., Khudaish, E.A. and Hart, A.L.
Electrochemical oxidation of hydrogen peroxide at platinum electrodes. Part IV: phosphate buffer dependence, 4573
Hamano, H., see Okano, M., 659, 3475
Han, J.-N., Pyun, S.-I. and Kim, D.-J.
Analysis of the compressive and tensile stresses generation/relaxation during hydrogen ingress into and egress from Pd foil electrode, 1797
Harima, Y., see Tang, H., 2579
Harrington, D.A. and van den Driessche, P.
Impedance of multistep mechanisms: equivalent circuits at equilibrium, 4321
Hart, A.L., see Hall, S.B., 2455, 4573
Hashimoto, K., see Yoshihara, S., 2711
Hassel, A.W. and Seo, M.
Localised investigation of coarse grain gold with the scanning droplet cell and by the Laue method, 3769
Hayashi, K., Nemoto, Y., Tobishima, S.-I. and Yamaki, J.-I.
Mixed solvent electrolyte for high voltage lithium metal secondary cells, 2337
Hayashi, K., see Kunugi, A., 2899
Hayden, B.E., see Davies, J.C., 1181
He, P., see Cui, N., 3549
Heinze, J., see Zhou, M., 1733
Herlitz, F., see Ahlberg Tidblad, A., 2251
Hernández Ubeda, M., Herrera, H., Mishima, H.T., López de Mishima, B.A., Villullas, H.M. and López Teijelo, M.
The electrochemical response of manganese hydroxide-oxide films in slightly alkaline solutions. II. Voltammetric and ellipsometric studies, 513
Hernández, J.C., see Gómez, M.M., 1255
Hernandez, R., see Colucci, J., 2507
Herrera, H., see Hernández Ubeda, M., 513
Herrero, E., Buller, L.J., Li, J., Finnefrock, A.C., Salomón, A.B., Alonso, C., Brock, J.D. and Abruña, H.D.
Electrodeposition dynamics: electrochemical and X-ray scattering studies, 983
Herrero, E., Li, J. and Abruña, H.D.
Electrochemical, in-situ surface EXAFS and CTR studies of Co monolayers irreversibly adsorbed onto Pt(111), 2385
Herrero, E., see Climent, V., 1403
Heusler, K.E., see Stöckgen, U., 2765
Hiei, N.-h., see Kaneco, S., 4701
Highfield, J.G., Claude, E. and Oguro, K.
Electrocatalytic synergism in Ni/Mo cathodes for hydrogen evolution in acid medium: a new model, 2805
Hillman, A.R., see Rodríguez Presa, M.J., 2073
Hillman, A.R., see Wilson, R.W., 3533
Hirano, T., see Kuroda, C.S., 3921
Hirschberg, G., see Tomcsányi, L., 2463
Hisatake, K., see Miyazaki, K., 3713
Ho, K.-C.
Cycling and at-rest stabilities of a complementary electrochromic device based on tungsten oxide and Prussian blue thin films, 3227
Hodal, T., see Vondrák, J., 3067
Holdcroft, S., see Lai, E.K.W., 2559
Holub, K., see Mareček, V., 155
Holze, R., see Malinauskas, A., 2613
Homma, T., see Itakura, K., 3707
Horányi, G., see Aramata, A., 999
Hori, Y., Koga, O., Watanabe, Y. and Matsuo, T.
FTIR measurements of charge displacement adsorption of CO on poly- and single crystal (100) of Cu electrodes, 1389
Hori, Y., see Koga, O., 903
Horrocks, B.R., see Berger, C.E.M., 2677
Horvai, G., see Ye, Q., 125

Hoshi, N., see Koga, O., 903
Hoshi, Y. and Ohki, R.
Low energy rf sputtering system for the deposition of ITO thin films, 3927
Hoshi, Y., see Shimizu, H., 3933
Hoshi, Y., Suzuki, E. and Shimizu, H.
Control of crystal orientation of Ti thin films by sputtering, 3945
Hosoda, N., see Takano, N., 3743
Hsu, Y.J., Kim, M.J. and Tran, T.
Electrochemical study on copper cementation from cyanide liquors using zinc, 1617
Hu, C.-C. and Liu, K.-Y.
Voltammetric investigation of platinum oxides. I. Effects of ageing on their formation/reduction behavior as well as catalytic activities for methanol oxidation, 2727
Hu, S.-W. and Fang, S.-B.
Solid electrolyte based on an `inorganic salt-organic salt' hybrid system, 2721
Huang, B.X., Wang, K., Church, J.S. and Li, Y.-S.
Characterization of oxides on niobium by raman and infrared spectroscopy, 2571
Huang, C.M., see Wu, M.S., 4007
Hubin, A., see Gonnissen, D., 4129
Hubin, A., see Simons, W., 4373
Hudson, A., see Jüttner, K., 4177
Huerta, F., Morallón, E., Quijada, C., Vázquez, J.L. and Aldaz, A.
Spectroelectrochemical study on CN^- adsorbed at Pt(111) in sulphuric and perchloric media, 943
Huerta, F., see Quijada, C., 1091
Huet, F., see Bayet, E., 4117
Huet, F., see Geraldo, A.B., 455
Hugot-Le Goff, A., see Bernard, M.-C., 781, 1989
Hummel, H.E., see Schroth, P., 3821
Hunnius, W.-D., see Welzel, H.-P., 1827
Hurley, L.M., see Burke, L.D., 3451
Huser, H., see Al Baradii, A., 2779
Hutchins, M., see Gavanier, B., 3251

I

Iiba, K., see Kaneco, S., 573, 4701
Iijima, S., see Mizutani, F., 3833
Iijima, T., see Suzuki, K., 2185
Illas, F., Mele, F., Curulla, D., Clotet, A. and Ricart, J.M.
Electric field effects on the vibrational frequency and bonding mechanism of CO on Pt(111), 1213
Imai, H., see Magaino, S., 4307
Inaba, M., see Kunugi, A., 653
Inoue, H., see Iwakura, C., 1677
Inoue, H., see Yoshida, Y., 3585
Inzelt, G., see Láng, G., 2037
Iroh, J.O., see Su, W., 2173, 3321, 4655
Isaacs, M., see Zagal, J.H., 1349
Ishida, M., see Morisawa, K., 3725
Ishida, N., see Magaino, S., 4307
Ishii, T., see Tezuka, Y., 1871
Ishikawa, M., see Tang, H., 2579
Ishikawa, M., see Yamada, O., 1607
Ismail, Kh.M., Jayaraman, A., Wood, T.K. and Earthman, J.C.
The influence of bacteria on the passive film stability of 304 stainless steel, 4685
Itagaki, M., Ono, T. and Watanabe, K.
Application of electrochemical impedance spectroscopy to solvent extraction of metallic ions, 4365
Itakura, K., Homma, T. and Osaka, T.
Effect of deposition site condition on the initial growth process of electroless CoNiP films, 3707
Ito, M., see Shingaya, Y., 745, 889
Ivanov, V.F., see Nekrasov, A.A., 2317
Ivashkevich, L.S., see Streltsov, E.A., 407
Ivashkevich, L.S., see Streltsov, E.A., 2645
Ivaska, A, see Damlin, P., 1919
Ivaska, A., see Kvarnström, C., 2739
Ivaska, A., see Latonen, R.-M., 1933
Iwakura, C., Choi, W.-K., Zhang, S.G. and Inoue, H.
Mechanism of hydrogen absorption in $Zr_{0.9}Ti_{0.1}Ni_{1.1-}Co_{0.1}Mn_{0.6}V_{0.2}$ alloy during alkali treatment with a boiling 6 M KOH solution, 1677
Iwakura, C., see Yoshida, Y., 3585

J

Jamnik, J., Maier, J. and Pejovnik, S.
A powerful electrical network model for the impedance of mixed conductors, 4139
Jänchenová, H., Lhotský, A. and Mareček, V.
Langmuir-Blodgett monolayers at an aqueous pendant drop, 161
Jänes, A., see Lust, E., 373, 4707
Jannakoudakis, A.D., see Andonoglou, P.P., 1455
Jannakoudakis, P.D., see Andonoglou, P.P., 1455
Jarvi, T.D., see Sriramulu, S., 1127
Jayaraman, A., see Ismail, Kh.M., 4685
Jepson, W.P., see Chen, Y., 4453
Jerkiewicz, G., see Sung, Y.-E., 1019
Jing, W., Wu, Z. and Wang, E.
Electrochemical study of gramicidin D forming ion-permeable channels in the bilayer lipid membranes, 99
Joia, C.J.B.M., see Azevedo, C., 4431
Jørgensen, M.J., Primdahl, S. and Mogensen, M.
Characterisation of composite SOFC cathodes using electrochemical impedance spectroscopy, 4195
Josserand, J., see Ferrigno, R., 587
Jung, Y.-H., see Song, H.-K., 3513

Jüttner, K., Schmitz, R.H.J. and Hudson, A.
A parameter study on the impedance of poly(3-methylthiophene) film electrodes, 4177
Jüttner, K., see Mangold, K.-M., 1865
Jüttner, K., see Schmitz, R.H.J., 1627

K

Kačarević-Popović, Z., see Mišković-Stanković, V.B., 4269
Kainuma, S., see Miyazaki, K., 3713
Kaiser, W., see Beck, F., 525
Kakiuchi, T.
A theory of voltammetry of ion transfer across a liquid membrane in the absence of supporting electrolytes using the Nernst-Planck equation and electroneutrality assumption, 171
Kaneco, S., Iiba, K., Hiei, N.-h., Ohta, K., Mizuno, T. and Suzuki, T.
Electorchemical reduction of carbon dioxide to ethylene with high Faradaic efficiency at a Cu electrode in CsOH/methanol, 4701
Kaneco, S., Iiba, K., Ohta, K., Mizuno, T. and Saji, A.
Electrochemical reduction of CO_2 at an Ag electrode in KOH-methanol at low temperature, 573
Kaneko, H., see Miyazaki, K., 3809
Kaneko, M., see Kinoshita, K., 1771
Kaneko, M., see Yagi, M., 2245, 2493
Kaneko, M., see Zhang, J., 3367
Kankare, J., see Kvarnström, C., 2739
Karwowska, B., see Kulesza, P.J., 1295
Katano, H., see Kubota, Y., 109
Katayama, H., see Sudoh, M., 3839
Kawaguchi, A., see Magaino, S., 4307
Keddam, M., see Andrade, C., 4313
Keddam, M., see Bayet, E., 4117
Keddam, M., see Gabrielli, C., 2095, 4217
Keddam, M., see Sfaira, M., 4395
Kharkats, Y.I., see Benjamin, I., 133
Khudaish, E.A., see Hall, S.B., 2455, 4573
Kihara, S., see Ohde, H., 23
Kim, D.-J. and Pyun, S.-I.
Stress generation and annihilation during hydrogen injection into and extraction from anodic WO_3 films, 1723
Kim, D.-J., see Han, J.-N., 1797
Kim, M.J., see Hsu, Y.J., 1617
Kim, T.Y., see Kuroda, C.S., 3921
Kim, Y.-G., see Lafferty, E.A., 1031
King, B.T., see Pospšil, L., 103
Kinoshita, K., see Yagi, M., 2245
Kinoshita, K., Yagi, M. and Kaneko, M.
Charge transport analysis of $[(bpy)_2(H_2O)Ru\text{-}O\text{-}Ru(H_2O)\text{-}(bpy)_2]^{4+}$ incorporated in a Nafion membrane as studied by potential-step chronocoulospectrometry, 1771
Kitamori, T., see Takahashi, S., 165
Kitamura, F., see Liao, Y., 117
Klages, C.P., see Beck, F., 525
Kleim, R., see Stein, N., 445
Kleshnyal, V., see Flis, J., 3989
Kloss, A.A., see Fawcett, W.R., 881
Kloster, G.M. and Anson, F.C.
Electrochemical reduction of HNO_2 or oxidation of benzyl alcohol by electrocatalyst coatings consisting of alternating layers of $[P_2Mo_{18}O_{62}]^{6-}$ anions and Os(II)- or Ru(II)-polypyridine cations, 2271
Kobayashi, K., see Shimizu, K., 2297
Kobiela, T., see Flis, J., 3989
Koenig, J.-F., see De Faria, L.A., 1481
Koga, O., Matsuo, T., Hoshi, N. and Hori, Y.
Charge displacement adsorption of carbon monoxide on [110] zone copper single crystal electrodes in relation with PZC, 903
Koga, O., see Hori, Y., 1389
Koh, M. and Nakajima, T.
Electrochemical behaviors of carbon alloy BC_x and of BC_x-coated graphite prepared by chemical vapor deposition, 1713
Koh, M., see Nakajima, T., 2879
Kohmura, A., see Tasaka, A., 1761
Kokoh, K.B., see Al Baradii, A., 2779
Kondo, K., Tanaka, Z. and Monden, T.
Shape evolution of electrodeposited bumps with additive, 3691
Kong, J., see Yang, R., 1585
Kontturi, K., see Manzanares, J.A., 59
Kontturi, K., see Quinn, B., 47
Koper, M.T.M.
Monte Carlo simulations of ionic adsorption isotherms at single-crystal electrodes, 1207
Kordos, P., see Schroth, P., 3821
Korzeniewski, C., see Dailey, A., 1147
Kossmehl, G., see Welzel, H.-P., 1827
Kovač, M., Gaberšček, M. and Grdadolnik, J.
The effect of plasticizer on the microstructural and electrochemical properties of a $(PEO)_nLiAl(SO_3Cl)_4$ system, 863
Koval'chuk, E.P., Reshetnyak, O.V., Chernyak, A.O. and Kovalyshyn, Y.S.
Electrochemiluminescence on np^1-metals 1. The analysis of chemiluminescent reactions, 4079
Kovalyshyn, Y.S., see Koval'chuk, E.P., 4079
Kramer, C. and Dunsch, L.
Voltammetric and spectroscopic investigation of binding in complexes of divalent metal ions with styrene-maleic acid-copolymer and monomeric analogues, 819
Krinichnaya, E.P., see Volfkovich, Yu.M., 1543
Krischer, K., see Treindl, L., 3963
Krohn, H., see Beck, F., 525
Krotova, M.D., see Pleskov, Y.V., 3361
Krtil, P., Nishimura, S. and Yoshimura, M.
Electrochemical formation of ternary oxide films—an EQCM approach to galvanostatic deposition of alkali earth metal tungstates and molybdates, 3911

Kryukova, G.N., see Lebedeva, N.P., 1431
Kubo, T., see Naishikitani, Y., 3211
Kubota, Y., Katano, H., Maeda, K. and Senda, M.
Voltammetric study of the partition of amines between water and an organic solvent, 109
Kulesza, P.J., Karwowska, B., Grzybowska, B. and Wieckowski, A.
Solid-state electrochemical generation and characterization of catalytic Pt microcenters within single crystal of heteropoly phospho-12-tungstic acid, 1295
Kulesza, P.J., Matczak, M., Wolkiewicz, A., Grzybowska, B., Galkowski, M., Malik, M.A. and Wieckowski, A.
Electrocatalytic properties of conducting polymer based composite film containing dispersed platinum microparticles towards oxidation of methanol, 2131
Kulesza, P.J., see Malik, M.A., 2157
Kullman, L., see Azens, A., 3059
Kumagai, N., see Groult, H., 3521
Kunai, A., see Tang, H., 2579
Kunugi, A., Abdul Jabbar, M., Mori, K. and Uno, H.
Electrosynthesis of isothiazoles from sulfonyl-substituted 2-alkenenitrile using a reactive sulfur-graphite electrode, 4583
Kunugi, A., Fujioka, M., Yasuzawa, M., Inaba, M. and Ogumi, Z.
Electroreduction of 2-cyclohexen-1-one on metal-solid polymer electrolyte composite electrodes, 653
Kunugi, A., Hayashi, K., Yumoto, H. and Uno, H.
Electrosynthesis of sulfur-containing organic fluorine compounds from trifluoromethyl-substituted cumulene derivatives using a sacrificial sulfur-graphite electrode, 2899
Kuroda, C.S., Kim, T.Y., Hirano, T., Yoshida, K., Namikawa, T. and Yamazaki, Y.
Preparation of nano-sized Bi-YIG particles for micro optics applications, 3921
Kuroda, K., see Lantelme, F., 421
Kuwabata, S., Masui, S. and Yoneyama, H.
Charge-discharge properties of composites of $LiMn_2O_4$ and polypyrrole as positive electrode materials for 4 V class of rechargeable Li batteries, 4593
Kvarnström, C., Neugebauer, H., Blomquist, S., Ahonen, H.J., Kankare, J. and Ivaska, A.
In situ spectroelectrochemical characterization of poly(3,4-ethylenedioxythiophene), 2739
Kvarnström, C., see Damlin, P., 1919
Kvarnström, C., see Latonen, R.-M., 1933
Kyriacou, G., see Avgousti, C., 3295

L

Lacaze, P.C., see Aeiyach, S., 2889
Lacaze, P.C., see Meneguzzi, A., 2149
Lafferty, E.A., Kim, Y.-G. and Soriaga, M.P.
Selective and quantitative removal of Pd films from Pt substrates by adsorbed-iodine-catalyzed anodic stripp-ing, 1031
Lafosse, A., see Fournier, D., 287
Lagergren, C. and Lindbergh, G.
Experimental determination of effective conductivities in porous molten carbonate fuel cell electrodes, 503
Lahtinen, R., see Manzanares, J.A., 59
Lahtinen, R., see Quinn, B., 47
Lai, E.K.W., Beattie, P.D., Orfino, F.P., Simon, E. and Holdcroft, S.
Electrochemical oxygen reduction at composite films of Nafion®, polyaniline and Pt, 2559
Laik, B., Gessier, F., Mercier, F., Trocellier, P., Chausse, A. and Messina, R.
Influence of lithium salts on the behaviour of a petroleum coke in organic carbonate solutions, 1667
Laik, B., Legrand, L., Chausse, A. and Messina, R.
Ion-ion interactions and lithium stability in a crosslinked PEO containing lithium salts, 773
Laitinen, T., see Bojinov, M., 247, 4331
Lamberts, L., see Walcarius, A., 4601
Lamy, C., see Al Baradii, A., 2779
Lamy, C., see Gloaguen, F., 1805
Lamy, C., see Proença, L., 1423
Landolt, D., see Piotrowski, O., 3389
Láng, G. and Inzelt, G.
An advanced model of the impedance of polymer film electrodes, 2037
Langer, S.H., see Dieckmann, G.R., 437
Langkau, T. and Baltruschat, H.
The rate of anion and hydrogen adsorption on Pt(111) and Rh(111), 909
Langkau, T., see Massong, H., 1379
Lantelme, F., Kuroda, K. and Barhoun, A.
Electrochemical and thermodynamic properties of titanium chloride solutions in various alkali chloride mixtures, 421
Lanza, M., see Pennisi, A., 3237
Lanzi, M., see Dini, D., 1911
Lapicque, F., see Goldbach, S., 323
Lapkowski, M., see Barth, M., 2117
Laptev, A.V., see Pleskov, Y.V., 3361
Larcher, D., Mudalige, C., Gharghouri, M. and Dahn, J.R.
Electrochemical insertion of Li and irreversibility in disordered carbons prepared from oxygen and sulfur-containing pitches, 4069
Larchet, C., see Tran, S., 2515
Larcin, J., Maskell, W.C. and Tye, F.L.
Leclanché cell investigations. Part II: Zinc potential as a tool for studying intermittent discharge, 191
Lassali, T.A.F., Boodts, J.F.C. and Bulhões, L.O.S.
Charging processes and electrocatalytic properties of $IrO_2/TiO_2/SnO_2$ oxide films investigated by in situ AC impedance measurements, 4203

Latonen, R.-M., Kvarnström, C. and Ivaska, A.
Electrochemical synthesis of a copolymer of poly(3-octylthiophene) and poly(paraphenylene), 1933
Laufer, S., see Fisher, V., 521
Lautié, A., see Doucey, L., 2371
Lazarescu, V. and Clavilier, J.
pH effects on the potentiodynamic behavior of the Pt(111) electrode in acidified $NaClO_4$ solutions, 931
Le Deit, H., see Rault-Berthelot, J., 3409
Le Guillanton, G., Martynov, A., Tho Do, Q., Elothmani, D. and Simonet, J.
Anodic oxidation of bis(organylchalcogeno)acetylenes, 4787
Le Naour, C., Moisy, Ph., Arpigny, S. and Madic, C.
Electro-oxidation of dihydroxymalonic acid on polycrystalline platinum electrode, 3505
Le Pen, C., see Bonnel, K., 4259
Le, D.B., see Passerini, S., 2209
Lebedeva, N.P., Kryukova, G.N., Tsybulya, S.V., Salanov, A.N. and Savinova, E.R.
Effects of microstructure in ethylene glycol oxidation on graphite supported platinum electrodes, 1431
Lecayon, G., see Bureau, C., 3303
Leclerc, O., see Belmont, C., 597
Lecuire, J.M., see Stein, N., 445
Lee, K.-H., see Song, H.-K., 3513
Lee, S.-H., Cheong, H.M., Tracy, C.E., Mascarenhas, A., Benson, D.K. and Deb, S.K.
Raman spectorscopic studies of electrochromic a-WO_3, 3111
Lee, S.J., Mukerjee, S., Ticianelli, E.A. and McBreen, J.
Electrocatalysis of CO tolerance in hydrogen oxidation reaction in PEM fuel cells, 3283
Lee, S.-J., Nishizawa, M. and Uchida, I.
Fabrication of mesophase pitch carbon thin film electrodes and the effect of heat treatment on electrochemical lithium insertion and extraction, 2379
Lee, W.-J. and Pyun, S.-I.
Effects of hydroxide ion addition on anodic dissolution of pure aluminium in chloride ion-containing solution, 4041
Leermakers, F.A.M., see Ye, Q., 125
Lefevre, G., Walcarius, A. and Bessiere, J.
Voltammetric investigation of iodide sorption on cuprite dispersed into a carbon paste electrode, 1817
Lefèvre, M., see Faubert, G., 2589
Lefrant, S., see Barth, M., 2117
Lefrant, S., see Boyer, M.I., 1981
Léger, J.-M., see Al Baradii, A., 2779
Léger, J.M., see Gloaguen, F., 1805
Legrand, L., see Laik, B., 773
Leith, S.D. and Schwartz, D.T.
Through-mold electrodeposition using the uniform injection cell (UIC): Workpiece and pattern scale uniformity, 4017
Leiva, E., see Sanchez, C., 1229
Lepellec, A., see Cosnier, S., 1833
Lepretre, J.-C., see Gorgy, K., 385
Lhotský, A., see Jänchenová, H., 161
Lhotský, A., see Mareček, V., 155
Li, J., see Herrero, E., 983, 2385
Li, L.-F., Totir, D., Gofer, Y., Chottiner, G.S. and Scherson, D.A.
The electrochemistry of nickel in a lithium-based solid polymer electrolyte in ultrahigh vacuum environments, 949
Li, S.M., see Gu, W.B., 4525
Li, W. and Nonaka, T.
Paired electrosynthesis of aminoiminomethane-sulfonic acids, 2605
Li, W., see Sun, C., 3401
Li, Y., see Deng, B., 2853
Li, Y.-M. and Young, L.
Effect of incorporated electrolyte species on the ac response of the high field ionic conduction process in anodic oxide films on tantalum, 605
Li, Y.-S., see Huang, B.X., 2571
Li, Z.-Q., Wu, Z.-Y., Yuan, R., Ying, M., Shen, G.-L. and Yu, R.-Q.
Thiocyanate-selective PVC membrane electrodes based on Mn(II) complex of *N,N'*-bis-(4-phenylazosalicylidene) *o*-phenylene diamine as a neutral carrier, 2543
Liao, Y., Okuwaki, M., Kitamura, F., Ohsaka, T. and Tokuda, K.
Normal pulse voltammetry for facilitated ion transfer processes across two immiscible liquid-liquid interfaces, 117
Liaw, B.Y., see Gu, W.B., 4525
Licciulli, A., see Varsano, F., 3149
Lin, Y., see Sun, S.-G., 1153
Lin, Y.-F. and Sun, I.-W.
Electrodeposition of zinc from a Lewis acidic zinc chloride-1-ethyl-3-methylimidazolium chloride molten salt, 2771
Lindbergh, G., see Lagergren, C., 503
Lindbergh, G., see Lundqvist, A., 2523
Lipkowski, J., see Richer, J.F., 1037
Lipovská, M., see Bouzek, K., 547
Liszi, J., see Tomcsányi, L., 2463
Liu, H.K., see Chen, J., 353
Liu, K.-Y., see Hu, C.-C., 2727
Liu, Q., see Lu, C., 2193
Liu, T.-C., Pell, W.G. and Conway, B.E.
Stages in the development of thick cobalt oxide films exhibiting reversible redox behavior and pseudocapacitance, 2829
Lojou, É., Luciano, P., Nitsche, S. and Bianco, P.
Poly(ester-sulfonic acid): modified carbon electrodes for the electrochemical study of *c*-type cytochromes, 3341
Lonar, M., see Babi, R., 2413
Lopatin, S., see Shacham-Diamand, Y., 3639
Lopes, M.I.S., see Proença, L., 735, 1163, 1423
López de Mishima, B.A., see Hernández Ubeda, M., 513

López Teijelo, M., see Brunetti, V., 2843
López Teijelo, M., see Brunetti, V., 4693
López Teijelo, M., see Hernández Ubeda, M., 513
Lorenz, M., see Schulze, M., 3969
Louarn, G., see Boyer, M.I., 1981
Louis, E., see Orts, J.M., 1221
Loveday, D.C., see Brotherston, I.D., 2993
Löwe, H. and Ehrfeld, W.
State-of-the-art in microreaction technology: concepts, manufacturing and applications, 3679
Lu, C., Lu, S., Qiu, W. and Liu, Q.
Electroreduction of nitrate to ammonia in alkaline solutions using hydrogen storage alloy cathodes, 2193
Lu, S., see Lu, C., 2193
Lübke, M., see Flätgen, G., 4499
Lucas, C.A., see Marković, N.M., 1009
Luciano, P., see Lojou, É., 3341
Luengo, C.A., see Silva, S.A.M., 3565
Lundqvist, A. and Lindbergh, G.
Kinetic study of a porous metal hydride electrode, 2523
Luo, J.L., see Cheng, Y.F., 2947, 4795
Luo, J.L., see Cui, N., 711, 3549
Lust, E., Jänes, A., Lust, K. and Ehrlich, J.
Orientation of organic compounds at single-crystal bismuth electrodes, 4707
Lust, E., Jänes, A., Sammelselg, V., Miidla, P. and Lust, K.
Surface roughness of bismuth, antimony and cadmium electrodes, 373
Lust, E., see Väärtnõu, M., 2437
Lust, K., see Lust, E., 373, 4707
Lüth, H., see Buß, G., 3899
Lüth, H., see Glück, O., 3761
Lüth, H., see Schmitt, G., 3865
Lüth, H., see Schroth, P., 3821
Lüthi, N., see Walcarius, A., 4601
Lyakhov, A.S., see Streltsov, E.A., 407, 2645

M

Ma, J., see Pan, H., 3977
Ma, J.X., see Pan, H., 2263
Mac Donald, D.D., see Breslin, C.B., 643
Machado, S.A.S., see Mattos-Costa, F.I., 1515
Macrelli, G. and Poli, E.
Mixed cerium/titanium and cerium/zirconium oxides as thin film counter electrode for all solid state electrochromic transmissive devices, 3137
Madic, C., see Le Naour, C., 3505
Madore, C., see Piotrowski, O., 3389
Madrigal, R., see Parmananda, P., 4677
Maeda, K., see Kubota, Y., 109
Maeda, K., see Ohde, H., 23
Maeda, Y., Sato, K., Ramaraj, R., Rao, T.N., Tryk, D.A. and Fujishima, A.
The electrochemical response of highly boron-doped conductive diamond electrodes to Ce^{3+} ions in aqueous solution, 3441
Magaino, S., see Mozalev, A., 3891
Magaino, S., Soga, M., Sobue, K., Kawaguchi, A., Ishida, N. and Imai, H.
Zinc corrosion in simulated acid rain, 4307
Magalhães, A.A.O., Margarit, I.C.P. and Mattos, O.R.
Electrochemical characterization of chromate coatings on galvanized steel, 4281
Magistris, A., see Quartarone, E., 677
Mahé, E., Devilliers, D., Groult, H. and Pouilleau, J.
Electrochemical behaviour of platinum-coated Ta/Ta_2O_5 electrodes, 2307
Maia, D.J., das Neves, S., Alves, O.L. and De Paoli, M.-A.
Photoelectrochemical measurements of polyaniline growth in a layered material, 1945
Maier, J., see Jamnik, J., 4139
Majewska, J., see Darowicki, K., 483
Mak, J.L.L., see Fung, Y.S., 3855
Maksimović, M.D., see Mišković-Stanković, V.B., 4269
Maksymiuk, K., see Michalska, A., 2125
Malev, V.V., see Astakhova, R.K., 967
Malik, M.A., Galkowski, M.T., Bala, H., Grzybowska, B. and Kulesza, P.J.
Evaluation of polyaniline films containing traces of dispersed platinum for protection of stainless steel against corrosion, 2157
Malik, M.A., see Kulesza, P.J., 2131
Malinauskas, A. and Holze, R.
An in situ UV-vis spectroelectrochemical investigation of the initial stages in the electrooxidation of selected ring- and nitrogen-alkylsubstituted anilines, 2613
Malkoc, Ü., see Schroth, P., 3821
Maltz, A., see Zerbino, J.O., 1973
Man Choi, G., see Gon Han, D., 4155
Mangold, K.-M., Morgenschweis, K. and Jüttner, K.
Relaxation of polythiophenes bridged by alkyl chains, 1865
Manzanares, J.A., Lahtinen, R., Quinn, B., Kontturi, K. and Schiffrin, D.J.
Determination of rate constants of ion transfer kinetics across immiscible electrolyte solutions, 59
Marcadal, C., see Gorgy, K., 385
Marcos, M., see Aballe, A., 4805
Marcus, Y.
Some thermodynamic aspects of ion transfer, 91
Mareček, V., Lhotský, A., Holub, K. and Stibor, I.
Surface complex formation at the water/1,2-dichloroethane interface, 155
Mareček, V., see Jänchenová, H., 161
Margarit, I.C.P. and Mattos, O.R.
About coatings and cathodic protection: Properties of the coatings influencing delamination and cathodic protection criteria, 363

Margarit, I.C.P., see Magalhães, A.A.O., 4281
Marinkovic, N., see Fawcett, W.R., 881
Marinović, V. and Despi, A.R.
Pyrophosphoric acid as a source of hydrogen in cathodic hydrogen evolution on silver, 4073
Marković, N.M., Grgur, B.N., Lucas, C.A. and Ross, N.P.
UPD of Cu on Pt(100): effects of anions on adsorption isotherms and interface structures, 1009
Marmann, A., see Gloaguen, F., 1805
Marry, V., see Fournier, D., 287
Marsan, B., see Philias, J.-M., 2351, 2915
Marso, M., see Schroth, P., 3821
Martinet, S., see Mohamedi, M., 797
Martins, A., see Silva, F., 919
Martins, N., see Paliteiro, C., 1359
Martynov, A., see Le Guillanton, G., 4787
Mascarenhas, A., see Lee, S.-H., 3111
Masetti, E., see Varsano, F., 3149
Masetti, E., Varsano, F. and Decker, F.
Sputter-deposited cerium vanadium mixed oxide as counter-electrode for electrochromic devices, 3117
Maskell, W.C., see Larcin, J., 191
Massong, H., Tillmann, S., Langkau, T., Abd El Meguid, E.A. and Baltruschat, H.
On the influence of tin and bismuth UPD on Pt(111) and Pt(332) on the oxidation of CO, 1379
Masui, S., see Kuwabata, S., 4593
Matczak, M., see Kulesza, P.J., 2131
Matsumoto, G., see Miyazaki, K., 3809
Matsunaga, M., see Otogawa, R., 1509
Matsunaga, T., Okochi, M. and Nakayama, H.
Construction of an automated DNA detection system for manipulation of *Microcystis* spp. using specific DNA probe immobilized on magnetic particles, 3779
Matsunaga, T., see Okochi, M., 3795
Matsunaga, T., see Tanaka, T., 3827
Matsuo, T., see Hori, Y., 1389
Matsuo, T., see Koga, O., 903
Matsuoka, H., Saito, M., Watabe, T., Ohi, A., Sotoyama, H. and Oh, K.-B.
Control of the quantity and the timing of microinjection into a bio-cell with a multifunctional microelectrode, 3801
Matsushita, K., see Tasaka, A., 1761
Matthews, J.P., Bell, J.M. and Skryabin, I.L.
Effect of temperature on electrochromic device switching voltages, 3245
Mattos, O.R., see Azevedo, C., 4431
Mattos, O.R., see Geraldo, A.B., 455
Mattos, O.R., see Magalhães, A.A.O., 4281
Mattos, O.R., see Margarit, I.C.P., 363
Mattos-Costa, F.I., de Lima-Neto, P., Machado, S.A.S. and Avaca, L.A.
Characterisation of surfaces modified by sol-gel derived $Ru_xIr1\text{-}_xO_2$ coatings for oxygen evolution in acid medium, 1515
Mauvy, F., Gondran, Ch. and Siebert, E.
Potentiometric selectivity and impedance characteristics of a NASICON-based ion selective electrode, 2219
McBreen, J., see Lee, S.J., 3283
McCarthy, K., see Teowee, G., 3017
McEvoy, A.J., see Enea, O., 1441
McMeeking, G.D., see Nagai, J., 3177
McRae, E., see Stein, N., 445
Meeker, D.L., see Brotherston, I.D., 2993
Meixner, A., see Plieth, W., 3659
Mele, F., see Illas, F., 1213
Melendres, C.A., see Balasubramanian, M., 2941
Mellander, B.-E., see Vargas, M.A., 4227
Meneguzzi, A., Ferreira, C.A., Pham, M.C., Delamar, M. and Lacaze, P.C.
Electrochemical synthesis and characterization of poly(5-amino-1-naphthol) on mild steel electrodes for corrosion protection, 2149
Mercier, F., see Laik, B., 1667
Mercier, V., see Gavanier, B., 3251
Mernier, F., see Claes, P., 3999
Messina, R., see Chaussé, A., 2365
Messina, R., see Doucey, L., 2371
Messina, R., see Laik, B., 773, 1667
Messing, W., see Goldbach, S., 323
Metikoš-Huković, M., see Babi, R., 2413
Metikoš-Huković, M., see Grubać, Z., 4559
Micaroni, L., Dini, D., Decker, F. and De Paoli, M.-A.
Photoelectrochemical response and photoconductivity of poly(3-methylthiophene), 753
Michalak, F., see von Rottkay, K., 3093
Michalak, F., Von Rottkay, K., Richardson, T., Slack, J. and Rubin, M.
Electrochromic lithium nickel oxide thin films by RF-sputtering from a $LiNiO_2$ target, 3085
Michalska, A. and Maksymiuk, K.
The specific influence of hydrogen ions on poly(pyrrole) potentiometry, 2125
Michl, J., see Pospšil, L., 103
Miidla, P., see Lust, E., 373
Milocco, R.H.
Electrochemical impedance spectroscopy using discrete-time model formulation, 4147
Mimaki, T., see Tasaka, A., 1761
Miomandre, F., Bussac, M.N., Vieil, E. and Zuppiroli, L.
Monte-Carlo simulation of linear sweep voltammograms during redox switching of conducting polymers, 2019
Mishima, H.T., see Hernández Ubeda, M., 513
Mišković-Stanković, V.B., Zotović, J.B., Kačarević-Popović, Z. and Maksimović, M.D.
Corrosion behaviour of epoxy coatings electrodeposited on steel electrochemically modified by Zn-Ni alloy, 4269
Mitzakoff, S., see Gazotti Jr, W.A., 1965
Miura, N., see Sakai, G., 3849

Miyazaki, K., Kainuma, S., Hisatake, K., Watanabe, T. and Fukumuro, N.
Giant magnetoresistance in Co-Cu granular alloy films and nanowires prepared by pulsed-electrodeposition, 3713
Miyazaki, K., Matsumoto, G., Yamada, M., Yasui, S. and Kaneko, H.
Simultaneous voltammetric measurement of nitrite ion, dopamine, serotonin with ascorbic acid on the GRC electrode, 3809
Mizuno, T., see Kaneco, S., 573, 4701
Mizutani, F., Sato, Y., Yabuki, S., Sawaguchi, T. and Iijima, S.
Enzyme electrodes based on self-assembled monolayers of thiol compounds on gold, 3833
Mockus, Z., see Survila, A., 1707
Modes, C., see Ferrigno, R., 2871
Mogensen, M., see Jørgensen, M.J., 4195
Mohamedi, M., Martinet, S., Bouteillon, J. and Poignet, J.C.
Comprehensive examination of the electrochemistry of indium in the molten LiCl-KCl eutectic, 797
Mohamedi, M., Sato, Y. and Yamamura, T.
Examination of niobium electrochemistry from the reduction of Nb_3Cl_8 in molten LiCl-KCl eutectic, 1559
Moinet, C., see Chollet, M., 201
Moisy, Ph., see Le Naour, C., 3505
Molina, A., Alcaraz, M.-L., Saavedra, F. and González, J.
Application of current reversal chronopotentiometry and cyclic chronopotentiometry to the study of reactant and/or product adsorption at a plane electrode, 1263
Momčilović, J.D., see Tripković, A.V., 1135
Monden, T., see Kondo, K., 3691
Monk, P.M.S., Turner, C. and Akhtar, S.P.
Electrochemical behaviour of methyl viologen in a matrix of paper, 4817
Montalvo, V., see Colucci, J., 2507
Montella, C., see Berthier, F., 2397
Moon, S.-M. and Pyun, S.-I.
The formation and dissolution of anodic oxide films on pure aluminium in alkaline solution, 2445
Morallón, E., see Huerta, F., 943
Morgenschweis, K., see Mangold, K.-M., 1865
Morgenstern, T., see Schultze, J.W., 1847
Mori, A., see Sudoh, M., 3839
Mori, K., see Kunugi, A., 4583
Morimitsu, M., see Otogawa, R., 1509
Morin, S., see Conway, B.E., 1109
Morisawa, K., Ishida, M., Yae, S. and Nakato, Y.
Electrochemical metal deposition on atomically nearly-flat silicon surfaces accompanied by nano-hole formation, 3725
Morita, M., see Yamada, O., 1607
Morlidge, J.R., Skeldon, P., Thompson, G.E., Habazaki, H., Shimizu, K. and Wood, G.C.
Gel formation and the efficiency of anodic film growth on aluminium, 2423
Mortimer, R.J.
Organic electrochromic materials, 2971
Mousty, C., see Fóti, G., 813
Moyer, P., see Plieth, W., 3659
Mozalev, A., Surganov, A. and Magaino, S.
Anodic process for forming nanostructured metal-oxide coatings for large-value precise microfilm resistor fabrication, 3891
Mudalige, C., see Larcher, D., 4069
Mudigonda, D.S.K., see Brotherston, I.D., 2993
Mugica, J.C., see Bustero, I., 29
Mukerjee, S., see Lee, S.J., 3283
Müller, A., see Günzel, D., 3785
Müller, C., see Elkhatabi, F., 1645
Muller, C., see Velichenko, A.B., 3377
Mundt, C., see Buck, R.P., 1999
Munichandraiah, N., see Girish Kumar, G., 2663
Muramatsu, N., see Tasaka, A., 1761
Murtomäki, L., see Quinn, B., 47
Musiani, M. and Guerriero, P.
Oxygen evolution reaction at composite anodes containing Co_3O_4 particlesComparison of metal-matrix and oxide-matrix composites, 1499
Musiani, M., see Bertoncello, R., 4061
Musiani, M.M., see Deslouis, C., 2087
Musiani, M.M., see Vorotyntsev, M.A., 2105
Mustarelli, P., see Quartarone, E., 677
Muthukumar, M., see Rangarajan, S.K., 491
Myung, N., see Chen, L., 2751

N

Nadi, N., see Gabrielli, C., 2095
Nagai, J. and McMeeking, G.D.
Modeling of electrochromic processes, 3177
Nagy, J.B., see Szücs, Á., 613
Naishikitani, Y., Asano, T., Uchida, S. and Kubo, T.
Thermal and optical behavior of electrochromic windows fabricated with carbon-based counterelectrode, 3211
Naitoh, K., see Ono, S., 3697
Nakajima, T., Koh, M., Niwas Singh, R. and Shimada, M.
Electrochemical behavior of surface-fluorinated graphite, 2879
Nakajima, T., see Groult, H., 3521
Nakajima, T., see Koh, M., 1713
Nakamatsu, S., see Yoshida, Y., 3585
Nakamura, M., see Aramata, A., 999
Nakamura, N., see Okochi, M., 3795
Nakamura, N., see Tanaka, T., 3827
Nakata, S., see Sakai, G., 3849
Nakato, Y., see Morisawa, K., 3725
Nakayama, H., see Matsunaga, T., 3779
Namikawa, T., see Kuroda, C.S., 3921
Navarro-Laboulais, J., see García-Jareño, J.J., 395, 4753

Nekrasov, A.A., Ivanov, V.F., Gribkova, O.L. and Vannikov, A.V.
Spectroelectrochemical study of vacuum deposited polyaniline films subjected to postdeposition treatment by HNO_3, 2317
Nekrasov, V.N., see Barbin, N.M., 4479
Nemoto, Y., see Hayashi, K., 2337
Neudeck, A., see Rapta, P., 3483
Neugebauer, H., see Kvarnström, C., 2739
Ngo Boum, G.B. and Alemany, A.
Numerical simulations of electrochemical mass transfer in electromagnetically forced channel flows, 1749
Nguyen, F. and Anson, F.C.
Electrochemical examination of electrostatic attraction of cations and the ejection of anions by polyanionic electrode coatings stable in non-aqueous solvents, 239
Nicolas, F., see Groult, H., 2793
Nishimura, S., see Krtil, P., 3911
Nishizawa, M. and Uchida, I.
Microelectrode-based characterization systems for advanced materials in battery and sensor applications, 3629
Nishizawa, M., see Lee, S.-J., 2379
Nitsche, S., see Lojou, É., 3341
Niwas Singh, R., see Nakajima, T., 2879
Nobe, K., see Chen, L., 2751
Noll, A., Rudolf, V. and Grabner, E.W.
A glass electrode with solid internal contact based on Prussian blue, 415
Nonaka, T., see Li, W., 2605
Norkus, E., see Vaškelis, A., 3667
Novák, M., see Szücs, Á., 613
Novak, P., see Piro, B., 1953
Nóvoa, X.R., see Andrade, C., 4313
Nóvoa, X.R., see Collazo, A., 4289
Nyholm, L., see Eriksson, A., 4029

O

Ogata, S., see Yoshida, Y., 3585
Ogle, K., see Bayet, E., 4117
O'Grady, W.E. and Ramaker, D.E.
`Atomic' X-ray absorption fine structure: a new tool for examining electrochemical interfaces, 1283
Ogumi, Z., see Kunugi, A., 653
Oguro, K., see Highfield, J.G., 2805
Oh, K.-B., see Matsuoka, H., 3801
Ohde, H., Maeda, K., Yoshida, Y. and Kihara, S.
Redox reactions between NADH and quinone derivatives at a liquid/liquid interface, 23
Ohi, A., see Matsuoka, H., 3801
Ohki, R., see Hoshi, Y., 3927
Ohsaka, T., see Gobi, K.V., 269
Ohsaka, T., see Liao, Y., 117
Ohshita, J., see Tang, H., 2579
Ohta, K., see Kaneco, S., 573, 4701
Okamoto, M., see Rahman, M.A., 39
Okano, M., Takeda, K.-I., Toriumi, T. and Hamano, H.
Electrochemical synthesis of polygermanes, 659
Okano, M., Toriumi, T. and Hamano, H.
Electrochemical synthesis of germane-germane and germane-silane copolymers, 3475
Okochi, M., Nakamura, N. and Matsunaga, T.
Electrochemical killing of microorganisms using the oxidized form of ferrocenemonocarboxylic acid, 3795
Okochi, M., see Matsunaga, T., 3779
Okuwaki, M., see Liao, Y., 117
Oliveira Brett, A.M., see Brett, C.M.A., 4233
Omel'chuk, A.A. and Zarubitskii, O.G.
Metal transfer through porous auxiliary electrode in molten electrolytes, 1779
Ono, S., Naitoh, K. and Osaka, T.
Initial propagation stage of direct copper plating on non-conducting substrates, 3697
Ono, T., see Itagaki, M., 4365
Opara-Krasovec, U., see Picardi, G., 3157
Orazem, M.E., Durbha, M., Deslouis, C., Takenouti, H. and Tribollet, B.
Influence of surface phenomena on the impedance response of a rotating disk electrode, 4403
Orazem, M.E., see Deslouis, C., 2087
Orazem, M.E., see Frateur, I., 4345
Orel, B., see Picardi, G., 3157
Orel, B., see Šurca, A., 3051, 3075
Orfino, F.P., see Lai, E.K.W., 2559
Orlikowski, J., see Darowicki, K., 433
Oropeza, M.T., see Carreño, G., 2633
Orts, J.M., Louis, E., Sander, L.M. and Clavilier, J.
Numerical simulation of the voltammetric electrooxidation of CO adsorbed on Pt(111), 1221
Orts, J.M., see Rodes, A., 1077
Osaka, T., see Itakura, K., 3707
Osaka, T., see Ono, S., 3697
Osaka, T., see Takano, N., 3743
Osaka, T.
Recent development of Magnetic recording head core materials by plating method, 3885
Osborn, J.M., see Brotherston, I.D., 2993
Osipovich, N.P., see Streltsov, E.A., 407
Osipovich, N.P., see Streltsov, E.A., 2645
Otero, L., see Vettorazzi, N., 345
Otero, T.F., Cantero, I. and Grande, H.
Solvent effects on the charge storage ability in poly-pyrrole, 2053
Otero, T.F., see Grande, H., 1893
Otogawa, R., Morimitsu, M. and Matsunaga, M.
Effects of microstructure of IrO_2-based anodes on electrocatalytic properties, 1509
Otto, A., see Glück, O., 3761
Owen, J.R., see Gavanier, B., 3251
Owens, B.B., see Passerini, S., 2209

P

Palaniswamy, N., see Rajendran, S., 533
Paliteiro, C. and Martins, N.
Electroreduction of oxygen on a (100)-like polycrystalline gold surface in an alkaline solution containing Pb(II), 1359
Palmero, S., see San Martín, V., 579
Pan, H., Chen, Y., Wang, C., Ma, J.X., Chen, C.P. and Wang, Q.D.
Effect of alloys modified by an alkaline solution containing potassium borohydride on the kinetic properties of $MlNi_{3.7}Co_{0.6}Mn_{0.4}Al_{0.3}$ hydride electrode, 2263
Pan, H., Ma, J., Wang, C., Chen, C.P. and Wang, Q.D.
Effect of Co content on the kinetic properties of the $MlNi_{4.3-X}Co_XA_{l0.7}$ hydride electrodes, 3977
Paredes Olivera, P. and Patrito, E.M.
Adsorption of carbonate species on silver. II. Electric field effects, 1247
Paredes Olivera, P., see Patrito, E.M., 1237
Park, Z., see Stuhlmann, C., 993
Parmananda, P., Rivera, M. and Madrigal, R.
Altering oscillatory dynamics of an electrochemical system using external forcing, 4677
Paseka, I.
Influence of hydrogen absorption in amorphous Ni-P electrodes on double layer capacitance and charge transfer coefficient of hydrogen evolution reaction, 4551
Passerini, S., Ressler, J.J., Le, D.B., Owens, B.B. and Smyrl, W.H.
High rate electrodes of V_2O_5 aerogel, 2209
Pastor, E., see Rodríguez, J.L., 1173, 1415
Patrito, E.M. and Paredes Olivera, P.
Adsorption of carbonate species on silver. I. Nature of the surface bond, 1237
Patrito, E.M., see Paredes Olivera, P., 1247
Paulsen, J.M., see Choi, Y.-M., 623
Pébère, N., see Bonnel, K., 4259
Pegg, D.J., see Davies, J.C., 1181
Pejovnik, S., see Jamnik, J., 4139
Pell, W.G., see Liu, T.-C., 2829
Pennisi, A., see Cazzanelli, E., 3101
Pennisi, A., Simone, F., Barletta, G., Di Marco, G. and Lanza, M.
Preliminary test of a large electrochromic window, 3237
Pereira da Silva, J.E., Temperini, M.L.A. and Córdoba de Torresi, S.I.
Secondary doping of polyaniline studied by resonance Raman spectroscopy, 1887
Pereira, E.C., see Terezo, A.J., 4507
Pereira-Ramos, J.-P., see Cachet-Vivier, C., 2705
Pereira-Ramos, J.-P., see Vivier, V., 831
Pérez, C., see Collazo, A., 4289
Perez, J., Gonzalez, E.R. and Ticianelli, E.A.
Oxygen electrocatalysis on thin porous coating rotating platinum electrodes, 1329
Perez, J., see Silva, S.A.M., 3565
Pérez, J.M., see Rodes, A., 1077
Pérez, M.A., see Dávila, M., 1307
Perron, G., see Brouillette, C., 4721
Perrot, H., see Gabrielli, C., 2095, 4217
Pessine, E.J., see Ett, G., 2859
Peter, L.M., see Walker, R.C., 1289
Pettinger, B., Bilger, C., Beltramo, G., Santos, E. and Schmickler, W.
Interference second harmonic anisotropy at single crystalline silver-electrodes, 897
Pham, M.C., see Gabrielli, C., 4217
Pham, M.C., see Meneguzzi, A., 2149
Pham, M.-C., see Piro, B., 1953
Philias, J.-M. and Marsan, B.
All-solid-state photoelectrochemical cell based on a polymer electrolyte containing a new transparent and highly electropositive redox couple, 2915
Philias, J.-M. and Marsan, B.
FTIR spectroscopic study and thermal and electrical properties of polymer electrolytes containing a cesium thiolate/disulfide redox couple, 2351
Piazza, S., see Di Quarto, F., 4051
Picardi, G., Varsano, F., Decker, F., Opara-Krasovec, U., Surca, A. and Orel, B.
Electrochemical characterization of optically passive $CeVO_4$ counterelectrodes, 3157
Pierre, J.-L., see Gorgy, K., 385
Pihlar, B., see Šurca, A., 3075
Piotrowski, O., Madore, C. and Landolt, D.
Electropolishing of tantalum in sulfuric acid-methanol electrolytes, 3389
Piro, B., Arbi Bazzaoui, E., Pham, M.-C., Novak, P. and Haas, O.
Multiple internal reflection FTIR spectroscopic (MIRFTIRS) study of the redox process of poly(5-amino-1,4-naphthoquinone) film in aqueous and organic media, 1953
Pleskov, Y.V., Evstefeeva, Y.E., Krotova, M.D. and Laptev, A.V.
Synthetic semiconductor diamond electrodes: a study of electrochemical behavior of boron-doped single crystals grown at a high temperature and high pressure, 3361
Pletcher, D., see Alvarez-Gallegos, A., 853
Pletcher, D., see Alverez-Gallegos, A., 2483
Plichon, V., see Fournier, D., 287
Plieth, W., Dietz, H., Sandmann, G., Meixner, A., Weber, M., Moyer, P. and Schmidt, J.
Nanocrystalline structures of metal deposits studied by locally resolved Raman microscopy, 3659
Plieth, W., see Fikus, A., 2025
Plieth, W., see Welzel, H.-P., 1827
Poignet, J.C., see Gabriel, J.C., 4619

Poignet, J.C., see Mohamedi, M., 797
Poillerat, G., see Rios, E., 1491
Poli, E., see Macrelli, G., 3137
Ponce-de-León, C., see Carreño, G., 2633
Popović, K.Đ., see Tripković, A.V., 1135
Portillo, J., see Velichenko, A.B., 3377
Posadas, D., see Rodríguez Presa, M.J., 2073
Posdorfer, J., see Wessling, B., 2139
Pospšil, L., King, B.T. and Michl, J.
Voltammetry in benzene using lithium dodecamethylcarba-*closo*-dodecaborate, $LiCB_{11}Me_{12}$, as a supporting electrolyte: reduction of Ag^+, 103
Pouilleau, J., see Mahé, E., 2307
Poullet, C., see Colucci, J., 2507
Pradeep, see S.A. Agnihotry, 3121
Prestat, M., see De Faria, L.A., 1481
Primdahl, S., see Jørgensen, M.J., 4195
Proença, L., Lopes, M.I.S., Fonseca, I., Hahn, F. and Lamy, C.
An in situ IR reflectance spectroscopic study of the electro-oxidation of D-sorbitol on platinum, 1423
Proença, L., Lopes, M.I.S., Fonseca, I., Rodes, A., Gómez, R. and Aldaz, A.
On the oxidation of D-sorbitol on platinum single crystal electrodes: a voltammetric and in situ FTIRS study, 1163
Proença, L., Lopes, M.I.S., Fonseca, I., Rodes, A., Gómez, R. and Aldaz, A.
On the oxidation of D-sorbitol on platinum single crystal electrodes: a voltammetric and in situ FTIRS study, 735
Provencher, M., see Tran-Van, F., 2789
Provost, V., see Deslouis, C., 2087
Pyun, S.-I., see Choi, Y.-M., 623
Pyun, S.-I., see Han, J.-N., 1797
Pyun, S.-I., see Kim, D.-J., 1723
Pyun, S.-I., see Lee, W.-J., 4041
Pyun, S.-I., see Moon, S.-M., 2445
Pyun, S.-I., see Shin, H.-C., 2235

Q

Qiu, W., see Lu, C., 2193
Quartarone, E., Brusa, M., Mustarelli, P., Tomasi, C. and Magistris, A.
Preparation and characterization of fluorinated hybrid electrolytes, 677
Quijada, C., Rodes, A., Huerta, F. and Vázquez, J.L.
In situ FT-IRRAS study of SO_2 adlayers formed on Pt(111) electrodes from open-circuit adsorption in acidic media, 1091
Quijada, C., see Huerta, F., 943
Quillard, S., see Boyer, M.I., 1981
Quinn, B., Lahtinen, R., Murtomäki, L. and Kontturi, K.
Electron transfer at micro liquid-liquid interfaces, 47
Quinn, B., see Manzanares, J.A., 59

R

Radhakrishnan, G., see Flätgen, G., 4499
Radke, U., see Schulze, M., 3969
Rahman, M.A., Doe, H., Okamoto, M. and Arakawa, R.
Voltammetric and electrospray ionization mass spectrometric studies of the facilitated ion transfer of sodium and potassium cations by naphtho-15-crown-5 across the water | 1,2-dichloroethane interface, 39
Raicheff, R., see Bojinov, M., 721
Raj, C.R. and Ramaraj, R.
Study of surfactant-cyclodextrin complexation by cyclic voltammetry using polypyridyl metal complexes as electroactive probes, 279
Rajendran, S., Apparao, B.V. and Palaniswamy, N.
Synergistic and antagonistic effects existing among polyacrylamide, phenyl phosphonate and Zn^{2+} on the inhibition of corrosion of mild steel in a neutral aqueous environment, 533
Ramaker, D.E., see O'Grady, W.E., 1283
Ramaraj, R., see Maeda, Y., 3441
Ramaraj, R., see Raj, C.R., 279
Ramaraj, R., see Retna Raj, C., 2685
Rammelt, U., see Fikus, A., 2025
Rangarajan, S.K., Yegnanarayanan, V. and Muthukumar, M.
Current losses in a bipolar cell—II: An analysis of the Butler-Volmer regime, 491
Rao, T.N., see Maeda, Y., 3441
Raoult, E., see Rault-Berthelot, J., 3409
Rapta, P., Neudeck, A., Bartl, A. and Dunsch, L.
Microstructured conducting polypyrrole electrodes, 3483
Rauh, R.D.
Electorchromic windows: and overview, 3165
Rault-Berthelot, J., Raoult, E., Tahri-Hassani, J., Le Deit, H. and Simonet, J.
Anodic polymerization of *N*-(9-fluorenylmethoxycarbonyl)amino acids towards chiral conducting polymers, 3409
Reid, V., see Ferrigno, R., 2871
Reid, V., see Fóti, G., 813
Reissner, R., see Schulze, M., 3969
Reiter, J., see Vondrák, J., 3067
Reshetnyak, O.V., see Koval'chuk, E.P., 4079
Ressler, J.J., see Passerini, S., 2209
Retna Raj, C. and Ramaraj, R.
Electrochemical study of the cyclodextrin encapsulation of a macrocyclic nickel complex, 2685
Revault, M., see Doucey, L., 2371
Reymond, F., see Ding, Z., 3
Ribeiro, E.S. and Gushikem, Y.
Iron(II) tetrasulphophthalocyanine complex adsorbed on a silica gel surface chemically modified by 3-*n*-propylpyridinium chloride, 3589
Ricart, J.M., see Illas, F., 1213
Richardson, T., see Michalak, F., 3085

Richardson, T., see von Rottkay, K., 3093
Richer, J.F., Chen, A. and Lipkowski, J.
Quantitative studies of benzonitrile adsorption at the low-index gold single crystal electrodes, 1037
Rios, E., Gautier, J.-L., Poillerat, G. and Chartier, P.
Mixed valency spinel oxides of transition metals and electrocatalysis: case of the $Mn_xCo_{3-x}O_4$ system, 1491
Ritzoulis, G., see Avgousti, C., 3295
Rivera, M., see Parmananda, P., 4677
Robert, E., Christensen, E., Gilbert, B. and Bjerrum, N.J.
The effect of electrolysis on K_2TaF_7-LiF-NaF-KF-Na_2O melts, 1689
Rocca, E. and Steinmetz, J.
Mechanism of passivation of Pb(Ca)-Sn alloys in sulfuric acid: role of tin, 4611
Rocca, E., see Stein, N., 445
Rodes, A., Climent, V., Orts, J.M., Pérez, J.M. and Aldaz, A.
Nitric oxide adsorption at Pt(100) electrode surfaces, 1077
Rodes, A., see Proença, L., 735, 1163
Rodes, A., see Quijada, C., 1091
Rodríguez Presa, M.J., Bandey, H.L., Tucceri, R.I., Florit, M.I., Posadas, D. and Hillman, A.R.
Film thickness and electrolyte concentration effects on the EIS response of Poly-(*o*-toluidine) in the conducting state, 2073
Rodríguez, J.L. and Pastor, E.
Consecutive adsorption as studied by electrochemical mass spectrometry: Coadsorption, desorption and displacement reactions on platinum, 1173
Rodríguez, J.L., Souto, R.M., González, S. and Pastor, E.
DEMS study on the adsorption and reactivity of benzyl alcohol on palladium and platinum, 1415
Romano, M.C., see Di Quarto, F., 4051
Ross, N.P., see Marković, N.M., 1009
Roßberg, K. and Dunsch, L.
Electrochemical impedance spectroscopy on conducting polymer membranes, 2061
Rossi, S., see Deflorian, F., 4243
Roušar, I., see Bouzek, K., 547
Ruan, C., see Yang, R., 1585
Rubin, M., see Michalak, F., 3085
Rubin, M., see von Rottkay, K., 3093
Rudolf, V., see Noll, A., 415

S

Saario, T., see Bojinov, M., 247, 4331
Saavedra, F., see Molina, A., 1263
Sadik, O.A., see Sargent, A., 4667
Saffarian, H.M., Srinivasan, R., Chu, D. and Gilman, S.
Area determination in fractal surfaces of Pt and Pt-Ru catalysts for methanol oxidation, 1447
Saint-Aman, E., see Gorgy, K., 385
Saito, M., see Matsuoka, H., 3801
Saji, A., see Kaneco, S., 573
Sakai, G., Nakata, S., Uda, T., Miura, N. and Yamazoe, N.
Highly selective and sensitive SPR immunosensor for detection of methamphetamine, 3849
Salanov, A.N., see Lebedeva, N.P., 1431
Salatelli, E., see Dini, D., 1911
Salatelli, E., see Tarola, A., 4189
Salomón, A.B., see Herrero, E., 983
Salvarezza, R.C., see Gómez, M.M., 1255
Salvarezza, R.C., see Terán Arce, F., 1053
Samec, Z., see Treindl, L., 3963
Samec, Z.
Simple kinetic models of ion transfer across an interface between two immiscible electrolyte solutions. A comparison with experimental data, 85
Sammelselg, V., see Lust, E., 373
San Martín, V., Sanllorente, S. and Palmero, S.
Optimization of influent factors on nucleation process of copper in solutions containing thiourea using an experimental design, 579
Sanchez, C. and Leiva, E.
First principles calculations of monolayer compressibilities, 1229
Sander, L.M., see Orts, J.M., 1221
Sandmann, G., see Plieth, W., 3659
Sanllorente, S., see San Martín, V., 579
Sanmatías, A., see García-Jareño, J.J., 395, 4753
Santos, E., see Pettinger, B., 897
Sargent, A. and Sadik, O.A.
Monitoring antibody-antigen reactions at conducting polymer-based immunosensors using impedance spectroscopy, 4667
Sarret, M., see Elkhatabi, F., 1645
Sarret, M., see Velichenko, A.B., 3377
Sato, K., see Maeda, Y., 3441
Sato, Y., see Mizutani, F., 3833
Sato, Y., see Mohamedi, M., 1559
Savadogo, O., see Fricoteaux, P., 2927
Saville, P.M., see Wilson, R.W., 3533
Savinova, E.R., see Lebedeva, N.P., 1431
Savinova, E.R., Wasle, S. and Doblhofer, K.
Structure and activity relations in the hydrogen peroxide reduction at silver electrodes in alkaline NaF/NaOH electrolytes, 1341
Savvy, I.V., see Astakhova, R.K., 967
Savy, M., see Gouérec, P., 2653
Sawada, T., see Takahashi, S., 165
Sawaguchi, T., see Mizutani, F., 3833
Scannell, R., see Ferrigno, R., 2871
Scaramuzza, N., see Cazzanelli, E., 3101
Schäfer, L., see Beck, F., 525
Schattka, D., see Schultze, J.W., 1847
Schell, M., see Chen, S., 4773
Scherson, D.A., see Li, L.-F., 949
Schiavon, G., see Dini, D., 1911
Schiffrin, D.J., see Bustero, I., 29

Schiffrin, D.J., see Manzanares, J.A., 59
Schlue, W.-R., see Günzel, D., 3785
Schmickler, W., see Pettinger, B., 897
Schmidt, J., see Plieth, W., 3659
Schmidt, M., see Bouzek, K., 547
Schmitt, G., Schultze, J.-W., Faßbender, F., Buß, G., Lüth, H. and Schöning, M.J.
Passivation and corrosion of microelectrode arrays, 3865
Schmitz, R.H.J. and Jüttner, K.
Characterisation of the electronic and ionic properties of poly(3-metrylthiophene) films, 1627
Schmitz, R.H.J., see Jüttner, K., 4177
Schnurnberger, W., see Schulze, M., 3969
Schöning, M.J., see Buß, G., 3899
Schöning, M.J., see Glück, O., 3761
Schöning, M.J., see Schmitt, G., 3865
Schöning, M.J., see Schroth, P., 3821
Schroth, P., Schöning, M.J., Schütz, S., Malkoc, Ü., Steffen, A., Marso, M., Hummel, H.E., Kordos, P. and Lüth, H.
Coupling of insect antennae to field-effect transistors for biochemical sensing, 3821
Schultze, J.W. and Tsakova, V.
Electrochemical microsystem technologies: from fundamental research to technical systems, 3605
Schultze, J.W., Morgenstern, T., Schattka, D. and Winkels, S.
Microstructuring of conducting polymers, 1847
Schultze, J.W., see Buß, G., 3899
Schultze, J.-W., see Schmitt, G., 3865
Schultze, J.W., see Vogel, A., 3751
Schultze, J.W., see Voigt, O., 3731
Schulze, M., Reissner, R., Lorenz, M., Radke, U. and Schnurnberger, W.
Photoelectron study of electrochemically oxidized nickel and water adsorption on defined NiO surface layers, 3969
Schütz, S., see Schroth, P., 3821
Schwartz, D.T., see Leith, S.D., 4017
Scott, K. and Taama, W.M.
An investigation of anode materials in the anodic oxidation of sulphur dioxide in sulphuric acid solutions, 3421
Scott, K., see Argyropoulos, P., 3575
Sedlaríková, M., see Vondrák, J., 3067
Segal, J., see Elzanowska, H., 4515
Segarra, M., see Guzman, L., 2625
Sekhon, S.S., see S.A. Agnihotry, 3121
Senda, M., see Kubota, Y., 109
Seo, M., see Hassel, A.W., 3769
Sereno, L., see Vettorazzi, N., 345
Sergeev, A.G., see Volfkovich, Yu.M., 1543
Serrano, S.H.P., see Brett, C.M.A., 4233
Sfaira, M., Srhiri, A., Keddam, M. and Takenouti, H.
Corrosion of a mild steel in agricultural irrigation waters in relation to partially blocked surface, 4395
Shacham-Diamand, Y. and Lopatin, S.
Integrated electroless metallization for ULSI, 3639
Shen, G.-L., see Li, Z.-Q., 2543
Shen, J., see Sun, C., 3401
Shi, M. and Anson, F.C.
Mobilities and concentration profiles of counterion catalysts incorporated in Nafion coatings on electrodes, 1301
Shimada, M., see Nakajima, T., 2879
Shimizu, H., see Hoshi, Y., 3945
Shimizu, H., Suzuki, E. and Hoshi, Y.
Crystal orientation and microstructure of nickel film deposited at liquid nitrogen temperature by sputtering, 3933
Shimizu, K., Brown, G.M., Habazaki, H., Kobayashi, K., Skeldon, P., Thompson, G.E. and Wood, G.C.
Impurity distributions in barrier anodic films on aluminium: a GDOES depth profiling study, 2297
Shimizu, K., see Morlidge, J.R., 2423
Shimoda, S. and Smela, E.
The effect of pH on polymerization and volume change in PPy(DBS), 219
Shin, H.-C. and Pyun, S.-I.
An investigation of the electrochemical intercalation of lithium into a $Li_{1-\delta}CoO_2$ electrode based upon numerical analysis of potentiostatic current transients, 2235
Shin, J., see Dailey, A., 1147
Shingaya, Y. and Ito, M.
Model double layer structures on M(111) (M=Pt, Rh, Au, Cu and Ag) in a sulfuric acid solution, 745
Shingaya, Y. and Ito, M.
Model double layer structures on M(111) (M=Pt, Rh, Au, Cu and Ag) in a sulfuric acid solution, 889
Shinozaki, K., see Yoshihara, S., 2711
Shirakashi, T., see Yoshihara, S., 2711
Siebert, E., see Mauvy, F., 2219
Silva, A.F., see Bustero, I., 29
Silva, F. and Martins, A.
Surface reconstruction of gold single crystals: electrochemical evidence of the effect of adsorbed anions and influence of steps and terraces, 919
Silva, R., see Dávila, M., 1307
Silva, S.A.M., Perez, J., Torresi, R.M., Luengo, C.A. and Ticianelli, E.A.
Surface and electrochemical investigations of a fullerene soot, 3565
Simon, E., see Lai, E.K.W., 2559
Simone, F., see Cazzanelli, E., 3101
Simone, F., see Pennisi, A., 3237
Simonet, J., see Le Guillanton, G., 4787
Simonet, J., see Rault-Berthelot, J., 3409
Simons, W., Hubin, A. and Vereecken, J.
The role of electrochemical impedance spectroscopy (EIS) in the global characterisation of the reduction kinetics of hexacyanoferrate on anodised titanium, 4373
Siong Siow, K., see Xu, W., 2287
Skeldon, P., see Morlidge, J.R., 2423
Skeldon, P., see Shimizu, K., 2297

Skompska, M.
Alternative explanation of asymmetry in cyclic voltammograms for redox reaction of poly(3-methylthiophene) films in acetonitrile solutions, 357
Skryabin, I.L., Evans, G., Frost, D., Vogelman, G. and Bell, J.M.
Testing and control issues in large area electrochromic films and devices, 3203
Skryabin, I.L., see Matthews, J.P., 3245
Slack, J., see Michalak, F., 3085
Slack, J., see von Rottkay, K., 3093
Smela, E., see Shimoda, S., 219
Smyrl, W., see Alodan, M., 299
Smyrl, W.H., see Garfias-Mesias, L.F., 3651
Smyrl, W.H., see Passerini, S., 2209
Soares, D.M., Tenan, M.A. and Wasle, S.
Determination of the electromechanical parameters of the electrochemical quartz crystal microbalance, 263
Sobkowski, J., see Waszczuk, P., 1789
Sobue, K., see Magaino, S., 4307
Soga, M., see Magaino, S., 4307
Song, H.-K., Jung, Y.-H., Lee, K.-H. and Dao, L.H.
Electrochemical impedance spectroscopy of porous electrodes: the effect of pore size distribution, 3513
Soriaga, M.P., see Lafferty, E.A., 1031
Sosa, E., see Carreño, G., 2633
Sotoyama, H., see Matsuoka, H., 3801
Soudan, J.-M., see Bureau, C., 3303
Souto, R.M., see Rodríguez, J.L., 1415
Spiegel, M., see Biedenkopf, P., 683
Spohre, E.
Molecular simulation of the electrochemical double layer, 1697
Srhiri, A., see Sfaira, M., 4395
Srinivasan, R., see Saffarian, H.M., 1447
Sriramulu, S., Jarvi, T.D. and Stuve, E.M.
A kinetic analysis of distinct reaction pathways in methanol electrocatalysis on Pt(111), 1127
Staikov, G., see Voigt, O., 3731
Steffen, A., see Schroth, P., 3821
Stein, N., Rocca, E., Kleim, R., Lecuire, J.M. and McRae, E.
In-situ ellipsometric study of lead sulfate film electroformation on lead in a sulfuric acid solution, 445
Steinmetz, J., see Rocca, E., 4611
Stibor, I., see Mareček, V., 155
Stimming, U., see Gloaguen, F., 1805
Stöckgen, U. and Heusler, K.E.
A mathematical method to eliminate the transfer time from disc to ring at a rotating ring-disc electrode, 2765
Stöhr, U. and Freyland, W.
Electrochemical impedance investigations of redox mechanisms of refractory metal compounds in molten salts. I. Niobium chloride and oxychloride in CsCl-NaCl eutectic melt, 2199
Stover, L.E., see Alodan, M.A., 3721
Strangi, G., see Cazzanelli, E., 3101
Streltsov, E.A., Osipovich, N.P., Ivashkevich, L.S. and Lyakhov, A.S.
Effect of Cd(II) on electrodeposition of textured PbSe, 2645
Streltsov, E.A., Osipovich, N.P., Ivashkevich, L.S. and Lyakhov, A.S.
Electrochemical deposition of $PbSe_{1-x}Te_x$ solid solutions, 407
Stuhlmann, C., Park, Z., Bach, C. and Wandelt, K.
An ex-situ study of Cd underpotential deposition on Cu(111), 993
Stuve, E.M., see Sriramulu, S., 1127
Su, B.-L., see Walcarius, A., 4601
Su, W. and Iroh, J.O.
Electropolymerization of pyrrole on steel substrate in the presence of oxalic acid and amines, 2173
Su, W. and Iroh, J.O.
IR and XPS studies on the interphase and poly(N-methylpyrrole) coatings electrodeposited on steel substrates, 3321
Su, W. and Iroh, J.O.
Morphology and structure of the passive interphase formed during aqueous electrodeposition of polypyrrole coatings on steel, 4655
Suárez-Fernández, A.L., Alarnes-Varela, G. and Costa-García, A.
Electrode kinetic studies of β-carotene in aprotic solvents with carbon fiber microelectrodes, 4489
Suárez-Fernández, A.L., see Alarnes-Varela, G., 763
Sudoh, M., Mori, A., Fujimura, H. and Katayama, H.
Development of novel micro-sensor of disposable chips with oxygen enrichment by pre-electrolysis for monitoring blood glucose, 3839
Sumodjo, P.T.A., see Chen, L., 2751
Sun, C., Li, W., Sun, Y., Zhang, X. and Shen, J.
Fabrication of multilayer films containing horseradish peroxidase based on electrostatic interaction and their application as a hydrogen peroxide sensor, 3401
Sun, I.-W., see Lin, Y.-F., 2771
Sun, S.-G. and Lin, Y.
Kinetics of isopropanol oxidation on Pt(111), Pt(110), Pt(100), Pt(610) and Pt(211) single crystal electrodes - Studies of in situ time-resolved FTIR spectroscopy, 1153
Sun, Y., see Sun, C., 3401
Sundholm, G., see Bojinov, M., 247
Sung, Y.-E., Chrzanowski, W., Wieckowski, A., Zolfaghari, A., Blais, S. and Jerkiewicz, G.
Coverage evolution of sulfur on Pt(111) electrodes: From compressed overlayers to well-defined islands, 1019
Sunseri, C., see Di Quarto, F., 4051
Šurca, A. and Orel, B.
IR spectroscopy of crystalline V_2O_5 films in different stages of lithiation, 3051
Šurca, A., Benčič, S., Orel, B., Pihlar, B.
Spectroelectrochemical studies of V/Ti-, V/Ti/Zr- and V/Ti/Ce-oxide counter-electrode films, 3075

Surca, A., see Picardi, G., 3157
Surganov, A., see Mozalev, A., 3891
Survila, A. and Mockus, Z.
Current oscillations and a negative impedance observed during copper and tin codeposition from solutions involving Laprol 2402C as a surface-active substance, 1707
Sutter, E.M.M., see Ammeloot, F., 2549
Suzuki, E., see Hoshi, Y., 3945
Suzuki, E., see Shimizu, H., 3933
Suzuki, K., Iijima, T. and Wakihara, M.
Electrode characteristics of pitch-based carbon fiber as an anode in lithium rechargeable battery, 2185
Suzuki, T., see Kaneco, S., 4701
Szücs, Á., Tölgyesi, M., Csiszár, M., Nagy, J.B. and Novák, M.
Electrochemistry on partially reduced fullerene films, 613

T

Taama, W.M., see Argyropoulos, P., 3575
Taama, W.M., see Scott, K., 3421
Taguchi, S., see Aramata, A., 999
Tahri-Hassani, J., see Rault-Berthelot, J., 3409
Takahashi, S., Tsuyumoto, I., Kitamori, T. and Sawada, T.
Monitoring of molecular behavior of a chemical oscillation system at a liquid/liquid interface using a time-resolved quasi-elastic laser scattering method, 165
Takano, E., see Yagi, M., 2493
Takano, N., Hosoda, N., Yamada, T. and Osaka, T.
Effect of oxidized silicon surface on chemical deposition of nickel on *n*-type silicon wafer, 3743
Takebayashi, H., see Tasaka, A., 1761
Takeda, K.-I., see Okano, M., 659
Takenouti, H., see Andrade, C., 4313
Takenouti, H., see Bayet, E., 4117
Takenouti, H., see Orazem, M.E., 4403
Takenouti, H., see Sfaira, M., 4395
Tanaka, T., Nakamura, N. and Matsunaga, T.
Atomic force microscope imaging of *Escherichia coli* cell using anti-*E. coli* antibody-conjugated probe (in aqueous) solutions, 3827
Tanaka, Z., see Kondo, K., 3691
Tang, H., Zhu, L., Harima, Y., Yamashita, K., Ohshita, J., Kunai, A. and Ishikawa, M.
Electrochemistry and spectroelectrochemistry of poly-[(tetraethyldisilanylene)quinque(2,5-thienylene)], 2579
Tarascon, J.-M., see Taunier, S., 3219
Tarola, A., Dini, D., Salatelli, E., Andreani, F. and Decker, F.
Electrochemical impedance spectroscopy of poly-alkylterthiophenes, 4189
Tasaka, A., Tsukuda, Y., Yamada, S., Matsushita, K., Kohmura, A., Muramatsu, N., Takebayashi, H. and Mimaki, T.
Mechanism of film formation on nickel anodes in a molten $NH_4F{\cdot}2HF$, 1761
Taunier, S., Guery, C. and Tarascon, J.-M.
Design and characterization of a three-electrode electrochromic device, based on the system WO_3/IrO_2, 3219
Temperini, M.L.A., see Brolo, A.G., 559
Temperini, M.L.A., see Pereira da Silva, J.E., 1887
Tenan, M.A., see Soares, D.M., 263
Teowee, G., Gudgel, T., McCarthy, K., Agrawal, A., Allemand, P. and Cronin, J.
User controllable photochromic (UCPC) devices, 3017
Tepehan, F.Z., see Ghodsi, F.E., 3127
Tepehan, G.G., see Ghodsi, F.E., 3127
Terán Arce, F., Vela, M.E., Salvarezza, R.C. and Arvia, A.J.
Dynamic characteristics of adsorbed monolayers of 1-dodecanethiol on gold (111) terraces from in-situ scanning tunneling microscopy imaging, 1053
Terayama, K., see Yano, J., 337
Terezo, A.J. and Pereira, E.C.
Preparation and characterization of Ti/RuO_2-Nb_2O_5 electrodes obtained by polymeric precursor method, 4507
Tezuka, Y., Aoki, K. and Ishii, T.
Alternation of conducting zone from propagation-control to diffusion-control at polythiophene films by solvent substitution, 1871
Theodoridou, E., see Andonoglou, P.P., 1455
Thierry, D., see Annergren, I., 4383
Tho Do, Q., see Le Guillanton, G., 4787
Thompson, G.E., see Morlidge, J.R., 2423
Thompson, G.E., see Shimizu, K., 2297
Ticianelli, E.A., see Lee, S.J., 3283
Ticianelli, E.A., see Perez, J., 1329
Ticianelli, E.A., see Silva, S.A.M., 3565
Tillmann, S., see Massong, H., 1379
Tobishima, S.-I., see Hayashi, K., 2337
Tokuda, K., see Liao, Y., 117
Tölgyesi, M., see Szücs, Á., 613
Toma, H.E., see Araki, K., 1577
Tomasi, C., see Quartarone, E., 677
Tomcsányi, L., De Battisti, A., Hirschberg, G., Varga, K. and Liszi, J.
The study of the electrooxidation of chloride at RuO_2/TiO_2 electrode using CV and radiotracer techniques and evaluating by electrochemical kinetic simulation methods, 2463
Topping, A.J., see Gavanier, B., 3251
Tordo, P., see Tuccio, B., 4631
Toriumi, T., see Okano, M., 659, 3475
Torresi, R., see Gabrielli, C., 4217
Torresi, R.M., see de Albuquerque Maranhão, S.L., 1879

Torresi, R.M., see Silva, S.A.M., 3565
Totir, D., see Li, L.-F., 949
Trabanelli, G., see Fonsati, M., 311
Tracy, C.E., see Lee, S.-H., 3111
Tracy, C.E., Zhang, J.-G., Benson, D.K., Czanderna, A.W. and Deb, S.K.
Accelerated durability testing of electrochromic windows, 3195
Tran, S., Dammak, L., Larchet, C. and Auclair, B.
Bi-ionic potential through a cation exchange membrane separating two electrolyte solutions at different concentrations, 2515
Tran, T., see Hsu, Y.J., 1617
Tran-Van, F., Provencher, M., Choquette, Y. and Delabouglise, D.
Dihydrophenazine derivatives for overcharge protection of rechargeable lithium batteries, 2789
Trasatti, S., see De Faria, L.A., 1481
Treindl, L., Doblhofer, K., Krischer, K. and Samec, Z.
Mechanism of the oscillatory reduction of peroxodisulfate on gold(110) at electrode potentials positive to the point of zero charge, 3963
Tribollet, B., see Bousselmi, L., 4357
Tribollet, B., see Deslouis, C., 2087
Tribollet, B., see Frateur, I., 4345
Tribollet, B., see Geraldo, A.B., 455
Tribollet, B., see Orazem, M.E., 4403
Tribollet, B., see Vorotyntsev, M.A., 2105
Tributsch, H., see Chaparro, A.M., 1655
Triki, E., see Bousselmi, L., 4357
Tripković, A.V., Popović, K.Đ., Momčilović, J.D. and Dražič, D.M.
Kinetic and mechanistic study of methanol oxidation on a Pt(110) surface in alkaline media, 1135
Tritthart, U., Gey, W. and Gavrilyuk, A.
Nature of the optical absorption band in amorphous H_xWO_3 thin films, 3039
Trocellier, P., see Laik, B., 1667
Tryk, D.A., see Maeda, Y., 3441
Tryk, D.A., see Yoshihara, S., 2711
Tsakova, V., see Schultze, J.W., 3605
Tsukuda, Y., see Tasaka, A., 1761
Tsuyumoto, I., see Takahashi, S., 165
Tsybulya, S.V., see Lebedeva, N.P., 1431
Tucceri, R.I., see Rodríguez Presa, M.J., 2073
Tuccio, B., Bianco, P., Bouteiller, J.C. and Tordo, P.
Electrochemical characterisation of β-phosphorylated nitrone spin traps, 4631
Turner, C., see Monk, P.M.S., 4817
Tye, F.L., see Larcin, J., 191

U

Uchida, I., see Lee, S.-J., 2379
Uchida, I., see Nishizawa, M., 3629
Uchida, S., see Naishikitani, Y., 3211
Uda, T., see Sakai, G., 3849
Uno, H., see Kunugi, A., 2899, 4583

V

Väärtnõu, M. and Lust, E.
Adsorption of iodide ions on bismuth single crystal planes from solutions in methanol, 2437
Vaivars, G., see Azens, A., 3059
van den Driessche, P., see Harrington, D.A., 4321
van der Sluis, P.
Chemochromis optical switches based on metal hydrides, 3063
Vannikov, A.V., see Nekrasov, A.A., 2317
Vara, J.M., see Gómez, M.M., 1255
Varga, K., see Tomcsányi, L., 2463
Vargas, M.A., Vargas, R.A. and Mellander, B.-E.
New proton conducting membranes based on PVAL/-H_3PO_2/H_2O, 4227
Vargas, R.A., see Vargas, M.A., 4227
Varsano, F., Decker, F., Masetti, E., Cardellini, F. and Licciulli, A.
Optical and electrochemical properties of cerium-zirconium mixed oxide thin films deposited by sol-gel and r.f. sputtering, 3149
Varsano, F., see Masetti, E., 3117
Varsano, F., see Picardi, G., 3157
Vaškelis, A. and Norkus, E.
Autocatalytic processes of copper(II) and silver(I) reduction by cobalt(II) complexes, 3667
Vázquez, J.L., see Huerta, F., 943
Vázquez, J.L., see Quijada, C., 1091
Vela, M.E., see Terán Arce, F., 1053
Velichenko, A.B., Portillo, J., Sarret, M. and Muller, C.
Zinc dissolution in electrolytes containing nickel, 3377
Vereecken, J., see Gonnissen, D., 4129
Vereecken, J., see Simons, W., 4373
Versace, C., see Cazzanelli, E., 3101
Vervaet, A., see Baert, D., 3491
Vettorazzi, N., Otero, L. and Sereno, L.
Modified glassy carbon electrodes obtained by electrochemical treatment. Effects on the heterogeneous electron transfer kinetics of an adsorbed aromatic amine, 345
Vicente, F., see Barbosa, M.R., 957
Vicente, F., see García-Jareño, J.J., 395, 4753
Vieil, E., see Miomandre, F., 2019
Villullas, H.M., see Brunetti, V., 2843, 4693
Villullas, H.M., see Hernández Ubeda, M., 513
Vincent, C.A., see Christie, L., 2909
Vincent, D., see Gabriel, J.C., 4619
Vincze, A., see Ye, Q., 125

Vivier, V., Farcy, J. and Pereira-Ramos, J.-P.
Electrochemical lithium insertion in sol-gel crystalline vanadium pentoxide thin films, 831
Vogel, A. and Schultze, J.W.
A new microcell for electrochemical surface analysis and reactions, 3751
Vogel, R., see Gloaguen, F., 1805
Vogelman, G., see Skryabin, I.L., 3203
Voigt, O., Davepon, B., Staikov, G. and Schultze, J.W.
Localized electrochemical deposition and dissolution of Cu on microstructured Ti surfaces, 3731
Volfkovich, Yu.M., Sergeev, A.G., Zolotova, T.K., Afanasiev, S.D., Efimov, O.N. and Krinichnaya, E.P.
Macrokinetics of polyaniline based electrode: effects of porous structure, microkinetics, diffusion, and electrical double layer, 1543
Volkov, A.G.
Redox reactions at liquid hydrocarbon/water interfaces: biophysical aspects, 139
Volkovich, V.A., see Gabriel, J.C., 4619
von Rottkay, K., Rubin, M., Michalak, F., Armitage, R., Richardson, T., Slack, J. and Duine, P.A.
Effect of hydrogen insertion on the optical properties of Pd-coated magnesium lanthanides, 3093
Von Rottkay, K., see Michalak, F., 3085
Vondrák, J., Sedlaríková, M., Reiter, J. and Hodal, T.
Polymer gel electrolytes for electrochromic devices, 3067
Vorotyntsev, M.A., Deslouis, C., Musiani, M.M., Tribollet, B. and Aoki, K.
Transport across an electroactive polymer film in contact with media allowing both ionic and electronic interfacial exchange, 2105
Vos, J.G., see Wilson, R.W., 3533
Vuissoz, P.-A., Ansermet, J.-P. and Wieckowski, A.
CO chemisorption on platinum and palladium electrode studied by nuclear magnetic resonance, 1397

W

Wakihara, M., see Suzuki, K., 2185
Walcarius, A., Lüthi, N., Blin, J.-L., Su, B.-L. and Lamberts, L.
Electrochemical evaluation of polysiloxane-immobilized amine ligands for the accumulation of copper(II) species, 4601
Walcarius, A., see Lefevre, G., 1817
Walker, R.C., Bailes, M. and Peter, L.M.
A study of the anodic behaviour of ruthenium by potential modulated reflectance spectroscopy, 1289
Wan, C.C., see Wu, M.S., 4007
Wandelt, K., see Stuhlmann, C., 993
Wang, C., see Pan, H., 2263
Wang, C., see Pan, H., 3977
Wang, C.Y., see Gu, W.B., 4525
Wang, E., see Jing, W., 99
Wang, K., see Huang, B.X., 2571
Wang, Q.D., see Pan, H., 2263, 3977
Wang, R., see Deng, B., 2853
Wang, Y.Y., see Wu, M.S., 4007
Wang, Z., see Wu, Y., 2281
Wasberg, M., see Bergelin, M., 1069
Wasle, S., see Flätgen, G., 4499
Wasle, S., see Savinova, E.R., 1341
Wasle, S., see Soares, D.M., 263
Waszczuk, P., Wnuk, A. and Sobkowski, J.
Radiometric study of underpotential deposition of thallium on single crystal silver electrodes from perchloric acid solutions, 1789
Watabe, T., see Matsuoka, H., 3801
Watanabe, K., see Itagaki, M., 4365
Watanabe, T., see Miyazaki, K., 3713
Watanabe, Y., see Hori, Y., 1389
Weber, M., see Plieth, W., 3659
Welzel, H.-P., Kossmehl, G., Engelmann, G., Hunnius, W.-D. and Plieth, W.
Reactive groups on polymer covered electrodes 6-Copolymerization of 2,2'-bithiophene with methyl thiophene-3-acetate and 3-methylthiophene, 1827
Wen, T.-C., see Yang, C.-H., 207
Wery, L., see Claes, P., 3999
Wessling, B. and Posdorfer, J.
Corrosion prevention with an organic metal (polyaniline): corrosion test results, 2139
West, A.C., see Baker, B.C., 1567
Wiart, R., see Cachet, C., 4743
Wieckowski, A., see Kulesza, P.J., 1295, 2131
Wieckowski, A., see Sung, Y.-E., 1019
Wieckowski, A., see Vuissoz, P.-A., 1397
Wilke, S. and Zerihun, T.
Diffusion effects at microhole supported liquid/liquid interfaces, 15
Wilson, R.W., Cubitt, R., Glidle, A., Hillman, A.R., Saville, P.M. and Vos, J.G.
A neutron reflectivity study of $[Os(bipy)_2(PVP)_{10}Cl]^+$ polymer film modified electrodes: effect of redox state and counter ion, 3533
Winkels, S., see Schultze, J.W., 1847
Wnuk, A., see Waszczuk, P., 1789
Wolkiewicz, A., see Kulesza, P.J., 2131
Wood, G.C., see Morlidge, J.R., 2423
Wood, G.C., see Shimizu, K., 2297
Wood, T.K., see Ismail, Kh.M., 4685
Wragg, A.A., see Bouzek, K., 547
Wu, M.S., Huang, C.M., Wang, Y.Y. and Wan, C.C.
Effects of surface modification of nickel hydroxide powder on the electrode performance of nickel/metal hydride batteries, 4007
Wu, Y. and Wang, Z.
The theoretical behaviors of tubular electrodes: from semi-infinite diffusion to bulk electrolysis, 2281

Wu, Z., see Jing, W., 99
Wu, Z.-Y., see Li, Z.-Q., 2543

X

Xia, S.J. and Birss, V.I.
Hydrous oxide film growth on Pt. I. Type I β-oxide formation in 0.1M H_2SO_4, 467
Xu, W., Siong Siow, K., Gao, Z. and Yong Lee, S.
Electrochemical characterization of plasticized polyelectrolyte based on lithium-*N*(4-sulfophenyl) maleimide, 2287

Y

Yabuki, S., see Mizutani, F., 3833
Yae, S., see Morisawa, K., 3725
Yagi, M., Kinoshita, K. and Kaneko, M.
Charge transfer distance between trinuclear ruthenium complexes incorporated in a polymer membrane studied by potential-step chronoamperospectrometry, 2245
Yagi, M., see Kinoshita, K., 1771
Yagi, M., Takano, E. and Kaneko, M.
Activity analysis of electrocatalytic water oxidation by trinuclear ruthenium complex on an Au particle matrix, 2493
Yamada, M., see Miyazaki, K., 3809
Yamada, O., Ishikawa, M. and Morita, M.
The a.c. impedance response of the $LiNiO_2$ electrode in organic electrolyte solutions with different compositions, 1607
Yamada, S., see Tasaka, A., 1761
Yamada, T., see Takano, N., 3743
Yamaki, J.-I., see Hayashi, K., 2337
Yamamura, T., see Mohamedi, M., 1559
Yamasaki, S., see Yano, J., 337
Yamashita, K., see Tang, H., 2579
Yamazaki, Y., see Kuroda, C.S., 3921
Yamazoe, N., see Sakai, G., 3849
Yang, C.-H. and Wen, T.-C.
Electrodeposited platinum microparticles in a sulfonate-polyaniline film for the electrosorption of methanol and sorbitol, 207
Yang, R., Ruan, C., Dai, W., Deng, J. and Kong, J.
Electropolymerization of thionine in neutral aquesous media and H_2O_2 biosensor based on poly(thionine) 1585
Yano, J., Terayama, K., Yamasaki, S. and Aoki, K.
Logarithmic time dependence of the oxidative coloration of polyaniline film, 337
Yasui, S., see Miyazaki, K., 3809
Yasuzawa, M., see Kunugi, A., 653
Ye, Q., Vincze, A., Horvai, G. and Leermakers, F.A.M.
Partial blocking of ion transport at the interface of an ion-selective liquid membrane electrode by neutral surfactants Experiments and computer simulation, 125
Yegnanarayanan, V., see Rangarajan, S.K., 491
Ying, M., see Li, Z.-Q., 2543
Yoneyama, H., see Kuwabata, S., 4593
Yong Lee, S., see Xu, W., 2287
Yoshida, K., see Kuroda, C.S., 3921
Yoshida, Y., Ogata, S., Nakamatsu, S., Inoue, H. and Iwakura, C.
Catalytic reduction of nitrous oxide with atomic hydrogen permeating through palladized Pd sheet electrodes, 3585
Yoshida, Y., see Ohde, H., 23
Yoshihara, S., Shinozaki, K., Shirakashi, T., Hashimoto, K., Tryk, D.A. and Fujishima, A.
Photoelectrodeposition of copper on boron-doped diamond films: application to conductive pattern formation on diamond. The photographic diamond surface phenomenon, 2711
Yoshimura, M., see Krtil, P., 3911
Young Kim, K., see Young Yang, B., 2227
Young Yang, B. and Young Kim, K.
The oxidation behavior of Ni-50%Co alloy electrode in molten Li^+K carbonate eutectic, 2227
Young, L., see Li, Y.-M., 605
Yu, R.-Q., see Li, Z.-Q., 2543
Yuan, R., see Li, Z.-Q., 2543
Yumoto, H., see Kunugi, A., 2899

Z

Zagal, J.H., Gulppi, M., Isaacs, M., Cárdenas-Jirón, G. and Aguirre, M.J.
Linear versus volcano correlations between electrocatalytic activity and redox and electronic properties of metallophthalocyanines, 1349
Zaid, B., see Aeiyach, S., 2889
Zakroczymski, T., see Flis, J., 3989
Zanta, C.L.P.S., de Andrade, A.R. and Boodts, J.F.C.
Solvent and support electrolyte effects on the catalytic activity of Ti/RuO_2 and Ti/IrO_2 electrodes: oxidation of isosafrole as a probe model, 3333
Zarubitskii, O.G., see Omel'chuk, A.A., 1779
Zecchin, S., see Dini, D., 1911
Zeng, W., see Bernard, M.-C., 781
Zerbino, J.O., Florit, M.I. and Maltz, A.
Voltammetric and ellipsometric study of electrically conducting films of poly(*o*-toluidine) in different acid media, 1973
Zerihun, T., see Wilke, S., 15
Zhang, J., Zhao, F. and Kaneko, M.
Effect of water content in the Nafion matrix and the pH of the electrolyte solution on the charge transfer in the oxidation of the $Ru(bpy)_3^{2+}$ complex, 3367
Zhang, J.-G., see Tracy, C.E., 3195
Zhang, S.G., see Iwakura, C., 1677
Zhang, X., see Sun, C., 3401

Zhao, F., see Zhang, J., 3367
Zheng, J.-M., see Chen, Y., 2345
Zhou, M. and Heinze, J.
Electropolymerization of pyrrole and electrochemical study of polypyrrole: 1. Evidence for structural diversity of polypyrrole, 1733
Zhu, L., see Tang, H., 2579
Zhu, S.-M., see Chen, Y., 2345
Zolfaghari, A., see Sung, Y.-E., 1019
Zolotova, T.K., see Volfkovich, Yu.M., 1543
Zoltowski, P.
Effects of self-induced mechanical stress in hydrogen sorption by metals, by EIS, 4415
Zotović, J.B., see Mišković-Stanković, V.B., 4269
Zotti, G., see Dini, D., 1911
Zou, F., see Annergren, I., 4383
Zucchi, F., see Fonsati, M., 311
Zuppiroli, L., see Miomandre, F., 2019

PERGAMON

Electrochimica Acta 44 (1999) 29—45

ELECTROCHIMICA Acta

www.elsevier.nl/locate/electacta

Keyword/Subject Index for Volume 44 (1999)

A

A.C. Quartz crystal microbalance, 2095
Ab initio calculations, 1237, 1247
Absorption, 4415
AC impedance, 721, 1607, 2663, 4129
AC impedance spectroscopy, 2445, 4041
Accelerated life testing, 3195
Acetonitrile, 1871, 1953
Acid rain, 4307
Acid solutions, 1369
Acidobasicity, 3999
Activation energy, 139
Activation free energy, 133
Active sites, 3451
Actuator, 219
Additive, 3691
Adenine, 4233
Adhesion, 3251
Adsorbate STM imaging on Au(111), 1053
Adsorbate-induced anodic stripping, 1031
Adsorbate-induced corrosion, 1031
Adsorption, 903, 1037, 1069, 1077, 1097, 1237, 1247, 1389, 1817, 2437, 2463, 4129
Adsorption isotherms, 1009
Adsorption modeling, 1255
Adsorption/desorption, 1379
Aerobic/anaerobic bacteria, 4685
AES, 2473
Affinity constant, 3849
AFM, 1441
Ag electrode, 573
Ag^+ reduction, 103
Aging, 4515
Alcohols, 385, 2437
Alkali treatment, 1677
Alkaline media, 1317
Alkaline solutions, 1135, 1525
Alloy 600, 2473
Alloy deposition, 1567, 3559
Alloying elements, 711
Alternating current, 547
Alumina, 2297
Aluminium, 2297, 2423, 2445, 4041, 4079
Aluminium alloys, 2751, 4259
Amine adsorption, 345
Amine ligand, 4601
Aminoiminomethane-sulfonic acid, 2605
Ammonia, 2193
Ammonium baths, 1645
Amorphous alloys, 4551
Amorphous and crystalline tungsten oxide, 3251
Amorphous materials, 863
Amorphous WO_3, 3101
Analysis, 2297
Analysis methods, 4805
Aniline derivatives, 2613
Anions, 1009, 1389
Anion effect, 999
Anion-doping, 2579
Anisotropy, 513, 897
Anode material, 4069
Anodes, 813, 2879, 4061
Anodic behaviour, 1289
Anodic coloration, 3085
Anodic dissolution, 721, 3377
Anodic films, 2423
Anodic oxidation, 2843, 4631
Anodic oxide film, 2445, 605
Anodic passive film, 247
Anodic polymerization, 2889, 3409
Anodic process, 4479
Anodic WO_3 film, 1723
Anodised titanium, 4373
Anodizing, 2297, 2423, 2445, 3891
Anti-*E. coli* antibody, 3827
Antibody-antigen reactions, 4667
Antigen-antibody interaction, 3827
Antimony-modified, 1403
Apparent transference number, 2909
Aprotic media, 763, 4489
Aqueous pendant drop, 161
Aqueous solutions, 693, 4079
Aqueous/organic interface, 23
Aromatic polymers, 781, 805, 1879, 1887, 1933, 1945, 1953, 1973, 1981, 1989, 2037, 2073, 2087, 2095, 2117, 2139
Artemisinin, 2345

PII: S0013-4686(99)00408-9

Ascorbic acid, 3809
Aspect ratio, 1847
Assumption of a negligible thermal diffusion potential, 73
Atomic force microscope (AFM), 3827
Atomic hydrogen, 3585
Atomic XAFS, 1283
Au particle, 2493
Au(111), 999
Avidin, 1833
Azosalicylic acids, 4029

B

B-doped diamond, 2711
Bacteria, 3795
Ball-milling, 353
Barker-Brumleve-Buck (BBB) circuits, 1999
Batch electrolysis, 547
Battery, 2053
Bayesian risk, 3559
BC_x, 1713
Beam deflection technique, 1797
Benzene, 103
Benzonitrile, 1037
Benzotriazole, 2413
Benzyl alcohol, 1415
Bi-ionic potential, 2515
Bi-YIG, 3921
Bias sputtering, 3933
Bicarbonate, 1237, 1247
Bilayer lipid membranes, 99
Bio-cell, 3801
Bioelectronic interface, 3821
Biofilm, 4685
Biophysical aspects, 139
Biosensor, 1833, 3629, 3821
Biotin, 1833
Bipolar, 491
Bis(biphenyl)chromium assumption, 73
Bis(organylchalcogeno)acetylenes, 4787
Bismuth, 1097, 1379, 2437
Bismuth single-crystals, 4707
Bistability, 4773
Bleaching, 781
Blends, 2993
Blood glucose, 3839
Bode plot, 4321
Bone, 2677
Borates, 3999
Boron doping, 525
Boron-doped diamond electrode, 3441
Bounded motion, 3367
Brightening, 299
Bumps, 3691
Butler-Volmer polarization, 491
γ-Butyrolactone, 3295
Bypass-currents, 491

C

c-Type cytochromes, 3341
Cadmium selenide, 2915
Calcic deposit, 2251
Calcium, 2677
Calix[4]arene, 155, 161
Capacitance, 831, 1999, 2025, 2073, 2829, 4321
Capacitance measurement, 2947
Capacity law, 3491
Carbon, 3565, 4069
Carbon dioxide, 573, 4701
Carbon dioxide corrosion, 4453
Carbon electrode, 3809
Carbon fiber microelectrodes, 763, 4489
Carbon fibers, 763
Carbon fibre ultramicroelectrode, 3855
Carbon monoxide, 573, 1069, 1221, 1397, 4543
Carbon paste, 4601
Carbon steel, 2947, 2947, 4795
Carbon trioxide, 1237
Carbonates, 805, 863, 1237, 1247
Carbonate electrolytes, 805
Carbon-based counterelectrode, 3211
Carbon-nitrogen-fluorine compounds, 3521
Carboxylic acids, 819
Carotene, 4489
Catalysis, 2117, 2131, 2157, 2345, 2927
Catalysts, 1301, 1441
Catalyst activity, 2131
Catalytic activity, 3333
Cathodes, 853, 2227
Cathode ray tube, 3185
Cathodic and anodic indirect oxidations, 2605
Cathodic current collector (CCC), 683
Cathodic growth, 1911
Cathodic polarisation, 1893, 3989, 4079
Cathodic protection, 363
Cathodic reduction, 4631
Cation exchanger, 3341
Caustic soda, 2829
Cd, 993
Cd underpotential deposition, 2645
Ce-V oxide, 3117
Ce-Zr mixed oxide, 3149
Cell-to-cell communication, 3801
Cement paste, 4313
Cementation, 1617
Ceramics, 4313

Cerium and titanium oxides, 1525
Cerium(III) salts, 3441
Cermet coatings, 4289
Channel flow, 1749
Charge capacity, 3059
Charge carriers, 1999, 2037, 2087, 2095
Charge generation, 4667
Charge hopping, 3367
Charge propagation, 4667
Charge storage, 2053
Charge storage ability, 2053
Charge transfer, 763, 1397, 1945, 1999, 2019, 2037, 2073, 2087, 2095
Charge transfer coefficient, 4551
Charge transfer distance, 2245
Charge transport, 2087
Charge trapping, 753
Chemical analysis, 3899
Chemical bonds, 1981, 1989
Chemical oscillation, 165
Chiral discrimination, 3409
Chlorate production, 2251
Chloride ion, 4395
Chlorine compounds, 1973, 2871
Chloroplatinate reduction, 1295
Chromate, 4281
Chromate ions, 4795
Chromate pigments, 4259
Chromium, 247
Chromium oxide, 3059
Chronoabsorptometry, 3
Chronoamperometry, 1559, 1893, 2909, 4753
Chronopotentiometry, 797
Cl_2 evolution, 2463
Clustering theory application, 1053
CO, 903, 1389
CO adsorption, 1191
CO monolayers, 2385
CO oxidation, 3283
CO tolerance, 3283
Co-Cu, 3713
Co-ion flux, 2515
Co_3O_4, 4061
Coadsorption, 1173
Coarse grain gold, 3769
Coated materials, 763
Coating capacitance, 4243
Coating film, 3921
Coatings, 4281
Cobalt, 1491
Cobalt additive, 4007
Cobalt compounds, 2829
Cobalt oxide, 1481, 2829
Cobalt tetraazaannulene, 2653
Cobalt(II) complexes, 3667
Codeposition, 1499, 1707
Coil-coating, 4297
Coils, 3721
Color, 781
Color neutral, 3085
Compact oxide, 467
Comparative laboratory/field investigation, 2251
Complex formation, 155
Complexation, 819
Composite, 2559, 4155, 4593
Composite electrode, 1713, 4195
Composite electrodes, 433
Composition dependence, 3999
Composition effects, 711, 805, 831, 853, 863
Computer simulation, 797, 2019
Concrete, 4313
Conducting polyaniline, 633
Conducting polymers, 357, 1627, 1871, 1901, 1911, 2019, 2061, 2095, 2105, 2125, 2889, 2971, 3409, 3629, 4177, 4189, 4217, 4667
Conductive films, 1871, 1879, 1893, 1901, 1933, 1953, 1973, 2019, 2095, 2105, 2117, 2131, 2157, 2889
Conductive plastics, 753, 781, 805, 1847, 1865, 1871, 1879, 1887, 1893, 1901, 1911, 1933, 1945, 1953, 1973, 1981, 1989, 2019, 2025, 2037, 2073, 2087, 2095, 2105, 2117, 2139, 2157
Conductive polymer blends, 1965, 2983
Conductivity, 613, 863
Conductivity and viscosity, 4721
Conformational relaxation, 1893
Conformations, 1887, 1893
Conjugated polymers, 2739
σ-Conjugated polymers, 659, 3475
Conjugation length, 357
Consecutive adsorption, 1173
Constant phase element, 3361
Contact electric resistance (CER) technique, 247
Continuous current plating, 2859
Contrast, 3185
Control of film texture, 3945
Controlling chaos, 4677
Conventional gold cyanidation, 2625
Conversion efficiency, 2281
Copolymerization, 1933, 3475
Copolymers, 819, 1933, 2915, 2993
Copper, 311, 579, 819, 903, 1467, 1707, 2711, 2927, 3667, 4251, 4601
Copper alloys, 643
Copper corrosion, 559
Copper cyanide, 1617
Copper electrode, 4701
Copper electrodeposition, 299, 323
Copper electroless, 3721
Corrosion, 683, 693, 1761, 2139, 2549, 2751, 3865, 4117, 4269, 4307, 4805
Corrosion inhibition, 311, 533
Corrosion inhibitor, 559, 4453

Corrosion monitoring, 4431
Corrosion prevention, 2139
Corrosion products, 4357
Corrosion protection, 2157
Corrosion stability, 3899
Counter electrode, 3085, 3137
Countercations, 395
Counterion, 1301
Crevice corrosion, 4635
Critical micelle concentration, 1879
Critical overpotential, 3731
Crystal microstructure, 863
Crystal structure, 1887
Crystalline materials, 831
Crystallinity, 863
CsOH/methanol, 4701
CTAB, 165
CTR, 2385
Cu, 1389, 2413
Cu(111), 993
Cu-Ni alloy, 2413
Cu-Sn alloy, 2549
Cumulene, 2899
Cuprite, 1817
Current density, 797, 1933, 2173, 2871, 2889
Current distribution, 3691
Current efficiency, 2193
Current transient, 623, 1797
Current yields, 547
Current-potential curve, 109
CVD, 1713
Cyanide, 943
Cyano-substituted vinyl sulfones, 4583
Cyanoruthenate, 2131
Cyclic polarization test, 4635
Cyclic voltammetry, 99, 103, 269, 279, 421, 683, 797, 943, 1097, 1341, 1369, 1827, 1865, 1879, 1933, 1945, 2117, 2131, 2571, 2663, 2829, 3483, 3589, 3839, 4763, 4781
Cyclic voltammograms, 4795
Cyclodextrin, 279
2-Cyclohexen-1-one, 653

D

Daylight, 3237
Dc-sputtering, 1441
Deactivation, 2805
Decomposition, 805, 2579
Deconvolution, 2765
Defect, 4139
Degradation, 3227
Degradation factors, 3195
Degree of graphitization, 2185
Degree of oxidation, 1627
Deintercalation, 2879
Delamination, 363, 4243
Density functional calculations, 1229
Density measurement (optical), 781
Deposition, 993, 1901, 1911
Deposition at liquid nitrogen temperature, 3933
Deprotonation, 2125
Derivatives, 1865
Desorption, 1173
Desulfovibrio vulgaris, 4685
Diagnostic criterion for mechanism, 4073
Diamond, 3361
Diamond electrode, 3441
Diamond/titanium electrode, 525
Dielectric properties, 4313
β-Diethoxy-phosphoryl group, 4631
Differential pulse voltammetry, 3855
Differential scanning calorimetry, 1865
Diffusion, 4139, 4415
Diffusion coefficient, 1607, 2693, 2909
Diffusion in solids, 711, 831, 1871, 1911, 2019, 2037, 2087, 2095, 2909
Diffusion layer, 967
Diffusion of dissolved oxygen, 4395
Diffusion of dopant ions, 1871
Diffusion of hydrogen, 3027
Dihydrophenazine, 2789
Dihydroxymalonic acid, 3505
2,5-Dihydroxymethylfuran, 2779
Dimerization, 1577
Dimers, 1981
Diodes, 613
Dip coating, 3127
Direct methanol, 3575
Discharge properties, 353
Discharge reactions, 191
Dispersed catalysts, 1329, 3565
Dispersed material, 3921
Displacement reactions, 1173, 1415
Disposable chip, 3839
Dissociation, 2721
Dissolution, 643, 819, 2157, 2843
Distribution of current, 2281
Dithiolethiones, 201
DMC, 2365
DNA detection, 3779
DNA-modified electrodes, 4233
Dodecamethylcarba-*closo*-dodecaborate, 103
1-Dodecanethiol adsorbate structure, 1053
Dodecylbenzenesulfonate, 219
Dodecylsulfate, 1879
Donor density, 4373
Dopamine, 3809
Doping, 2405
Doping (additives), 1871, 1887, 1973, 1989, 2019, 2117

Double layer, 373, 967
Double layer capacitance, 4551
Double-stranded DNA, 4233
DSA, 4507
DSA type electrode, 813
Durability, 3195

E

e-beam evaporation, 3137
E. coli, 3827
Eastman AQ-films, 3341
Ebonex®, 437
Effect of additives, 323
Effective conductivity, 503
Efficiency, 2423
Efficiency of electropolymerisation, 1627
Effluent treatment, 2483
EHD impedance, 4395
EIS, 957, 2693, 4259, 4269, 4289, 4297, 4321, 4357, 4685
Electorchromism, 3237
Electric batteries, 2053
Electric conductivity measurement, 1945
Electric conductivity of solids, 781, 863, 1887, 2087
Electric current measurement, 2025
Electric discharges, 711
Electric field, 623, 1247
Electric impedance, 831, 2037, 2073, 2087, 2105
Electric impedance measurement, 2095
Electric potential, 2025
Electric resistance, 1999, 2025, 2073
Electric space charge, 753
Electrical conductivity, 4227
Electrical properties, 633
Electroactive films, 4753
Electroactive polymer film, 2105
Electroactivity, 2105
Electrocatalysis, 385, 1069, 1127, 1153, 1307, 1329, 1359, 1369, 1403, 1467, 1481, 1491, 1499, 1515, 1525, 2117, 2463, 2493, 2559, 2589, 2653, 2805, 2927, 3283, 3401, 3451, 3565, 4507, 4543
Electrocatalytic activity, 1509
Electrocatalytic mechanism, 2397
Electrocatalytic oxidation, 2779, 3795
Electrochemical behavior, 2365
Electrochemical capacitor, 3513
Electrochemical corrosion, 1893, 4677
Electrochemical doping, 1919, 4189
Electrochemical double layer, 1697
Electrochemical electrodes, 711, 797, 813, 853, 1911, 2019, 2025, 2037, 2117, 2829, 2843, 2871, 2889, 2909
Electrochemical fluorination, 1761
Electrochemical hydriding, 711
Electrochemical impedance, 2095, 2227, 4217, 4233, 4395
Electrochemical impedance spectroscopy, 503, 2139, 2397, 2523, 3513, 4147, 4177, 4189, 4243, 4251, 4365, 4415, 4453
Electrochemical intercalation, 805
Electrochemical killing, 3795
Electrochemical mass spectrometry, 1173, 1415
Electrochemical methods, 1091
Electrochemical monitoring, 363
Electrochemical noise, 2947, 4795, 4805
Electrochemical organic synthesis, 3679
Electrochemical oxidation, 445, 3295, 3969
Electrochemical polymerization, 4189
Electrochemical properties, 3075
Electrochemical Quartz Crystal Microbalance (EQCM), 263, 1911, 4041
Electrochemical reduction, 573, 4701
Electrochemical reduction polymerization, 1919
Electrochemical surface analysis, 3751
Electrochemical techniques, 4281
Electrochemical window, 525
Electrochemically stimulated conformational relaxation model, 1893
Electrochemiluminescence, 4079
Electrochromics, 2993, 3017, 3063, 3185, 3227
Electrochromic devices, 781, 1965, 3219
Electrochromic efficiency, 1965
Electrochromic hydride, 3093
Electrochromic lithium nickel oxide, 3085
Electrochromic materials, 3117
Electrochromic thin films, 3245
Electrochromic windows, 3195
Electrochromism, 781, 2971, 3027, 3039, 3051, 3059, 3067, 3075, 3111, 3137, 3149
Electrocopolymerization, 1827
Electrode, 903
Electrode behavior, 711
Electrode characteristics, 3549
Electrode-coating, 239
Electrode film growing, 4781
Electrode kinetics, 1655
Electrode modeling, 1329
Electrode poisoning, 1127
Electrode potentials, 191
Electrode processes, 957
Electrodeposition, 207, 357, 667, 781, 2645, 2711, 2771, 2859, 2915, 2927, 3691, 3713, 3725, 3731, 4017, 4269, 4655
Electrogenerative, 437
Electrogravimetric transfer function, 2095
Electrogravimetry, 2095, 4217
Electrohydrodynamic impedance, 1567
Electroless deposition, 3639
Electroless metal deposition, 3667
Electroless-plating, 3885
Electrolyser, 491

Electrolysis, 853, 1689, 1749, 1871, 2193, 2779, 2871, 3559
Electrolyte resistance, 455
Electrolytes, 753, 805, 853, 1901, 1973, 1989, 1999, 2025, 2073, 2337, 4721
Electromagnetic field effects, 813
Electromagnetic induction heating, 813
Electromic devices, 2983
Electron spin resonance spectroscopy, 1887
Electron transfer, 47, 133, 967, 2307, 2317
Electron transfer kinetics, 345
Electron-ion transport, 2105
Electroneutralization, 1879
Electronic conductivity, 1627, 2793, 4177
Electronic coupling, 1349
Electronic properties, 1847
Electronic structure, 2947
Electrooptical devices, 781
Electrooxidation, 735, 1163, 1423, 1431, 1893, 1981, 2507, 2613, 3505
Electrophoretic microinjection, 3801
Electroplating, 2859, 3885
Electropolishing, 3389
Electropolymerization, 659, 1585, 1733, 1871, 1879, 1901, 1933, 1945, 2117, 2889, 3475
Electropositive redox couple, 2915
Electroreduction, 513, 653, 763
Electrosorption, 207
Electrospray ionization mass spectrometry, 39
Electrostatic continuum model, 133
Electrostatically assembled films, 1577
Electrosynthesis, 597, 659, 853, 2889, 2899, 4583, 4787
Elimination of outliers, 4163
Ellipsometry, 467, 513, 1973
Emeraldine salt, 1981
Endoperoxide group, 2345
Energy gap, 2915
Energy savings, 3195
Enthalpies of transfer, 73
Entrainment, 4677
Entropies of transfer, 73
Entropy change, 395
Epoxy coatings, 4269
EQCM, 311, 1879, 3911
Equivalence classes, 2073
Equivalent circuit, 4321
Equivalent-circuit analysis, 3211
ESR spectroscopy, 3483
Ethanol, 4773
1-Ethyl-3-methylimidazolium chloride, 2771
Ethylene, 4701
Ethylene glycol, 1147, 1431
Ethylene oxide, 3679
Eutectics, 797
EXAFS, 1283, 2385
Exchange current densities, 841
Excitability, 4773
Experimental design, 579
Extraction mechanism, 2379

F

Facilitated ion transfer, 39, 117
Faradaic disc currents, 2765
Fe-Ni alloys, 667
Ferrate(VI), 547
Ferrocene oxidation, 103
Ferrocenemonocarboxylic acid, 3795
Film annealing, 4763
Film growth, 1871, 1879, 1901, 2829, 2843
Finite element method, 587
First-order reaction, 483
Flinak, 2859
Flow cell, 201, 1069
Flow visualisation, 3575
Fluorescence, 1879
Fluorinated coatings, 4297
Fluorination, 2879
Fluorine, 2793
Fluorine compounds, 2859, 2879
Foot print of anion for underpotential deposition, 999
Force-distance curve measurement, 3827
Formal charge transfer coefficient, 4707
Formal potential, 269
Formic acid, 1403
Fourier transform infrared spectroscopy, 1953
Fractal, 1447
Free-chromate pretreatments and primers, 4297
Frequency response, 4147
Frumkin adsorption, 841
Frumkin correction, 85, 967
FTIR, 311, 773, 1919
FTIR spectroscopy, 735, 943, 1163, 2351, 2739
Fuel cell, 3575, 4227
Fullerene films, 613
Fullerene soot, 3565
Functionalized sulfonic acids, 1989
Fused salt, 421

G

Gadolinium magnesium, 3093
Gallium, 4079
Galvanic current, 4289
Galvanic deposition, 3899
Galvanized steel, 4281
Gas evolution, 525
Gas management, 3575

Gas-phase electrooxidation, 1441
GC-MS, 3295
GDOES, 2297
Gel, 2909
Gels, 2423
Gel electrolyte, 3067, 3121
Generation of Pt microcenters, 1295
Geometrical arrangement, 4155
Giant magnetoresistance, 3713
Gibbs energies of transfer, 73
Glass, 3237
Glass transition, 863
Glassy carbon, 345
Glassy carbon electrodes, 4029, 4479
Glazing, 3017
Glucose oxidase, 1833, 3833
Glutamate oxidase, 3833
Glutaraldehyde, 2405
Glyoxylate, 1467
Gold, 919, 1359, 2037, 2625
Gold anodic dissolution, 2625
Gold cyanide, 1617
Gold single crystal, 3769
Gramicidin D, 99
Granular alloy film, 3713
Granular alloy nanowires, 3713
Graphite anode, 2879
Graphite electrodes, 2859, 2879
Graphite-supported platinum, 1431
GRC electrode, 3809
Grey cast iron, 547
Growth (materials), 1847, 1911
Guanine, 4233

H

H_2 evolution, 2805
H_2O adsorption, 3969
H_2O_2, 3063
H_2O_2 biosensor, 1585
H_2S corrosion, 4431
Halogenation, 2879
Harmonic analysis, 483
Heat management, 3679
Heat treatment, 2379, 2653
Hemin, 2345
Heteropolyacids, 2117
Heteropolyanions, 2117
Hexamethylenetetramine (HMTA), 559
High B_s material, 3885
High ρ material, 3885
High temperature electrolysis, 421
Hipophosphorous acid, 4227
Hole traps, 753
Holographic interferrometry, 4635
Hopf bifurcation, 2397
HOPG, 2793
Horseradish peroxidase, 3401
Hot Filament CVD, 525
HPLC, 2779
HPLC investigation, 1827
Hybrid electrolytes, 677
Hybrid system, 2721
Hydrazine electrooxidation, 1455
Hydride electrode, 3549
Hydriding and dehydriding, 711
Hydrogen, 2037, 2125
Hydrogen absorption, 2853, 4551
Hydrogen diffusion, 711
Hydrogen diffusivity, 1797
Hydrogen entry, 3989
Hydrogen evolution, 4551
Hydrogen evolution kinetics, 4073
Hydrogen evolution reaction, 841, 1455
Hydrogen oxidation, 3283
Hydrogen permeation, 2693, 4431, 4443
Hydrogen peroxide, 853, 2455, 2483, 3401, 4573
Hydrogen peroxide reduction, 1341
Hydrogen sorption by metals, 4415
Hydrogen storage alloy electrode, 2193
Hydrogen storage alloys, 711, 3549
Hydrogen tungsten bronzes, 3027, 3039
Hydrous oxide films, 467, 4515
Hydroxide ion, 4041
Hydroxides melts, 3999
Hypochlorite electrogeneration, 2871

I

Imaging, 287
Immiscible electrolyte solutions, 85
Immiscible electrolytes, 29
Immunochemical sensor, 4667
Immunoreaction, 3849
Impedance, 125, 363, 1525, 2087, 2105, 3389, 4155, 4281, 4307, 4321, 4431, 4743
Impedance measurements, 323
Impedance spectra, 3361
Impedance spectroscopy, 247, 773, 863, 1455, 2061, 2287, 2413, 2751, 4163, 4195, 4313, 4331, 4373
Impinging jet, 1069
In situ conductivity, 1919
In-situ ellipsometry, 445
In situ FT IR, 2345
In situ oxidation, 2227
In situ spectroelectrochemistry, 2739
In situ X-ray absorption spectroscopy, 1283
In vivo electrochemistry, 3855

Indirect electrolysis, 201
Indium, 797, 4079
Inductance, 4321
Induction heating, 813
Infrared spectroscopy, 1147, 3075
Inhibition, 2413
Inhibition method, 3849
Inhibitor, 2549
Initiation and growth, 1901
Inorganic acids, 1973
Insect antenna, 3821
Interaction, 2721
Intercalation compounds, 805, 2879
Interconnection, 3691
Interdigitated band electrodes, 587, 2871
Interdigitated electrodes, 597
Interface structures, 1009
Interfaces, 4139
Interfaces (materials), 2105, 2125, 2915
Interfacial impedance, 2219
Interference, 897
Interferometric microscopy, 287
Intermediates, 2613
Intermolecular distance distribution, 2493
Internal stress, 667
Interphase, 3321
Intrastructural proton discharge, 1295
Inverted spin trapping, 4631
Iodide, 1817
Ion adsorption, 1697
Ion-channel, 99
Ion complex, 3833
Ion distribution, 1697
Ion exchange, 239, 2061, 2105, 3483
Ion exchange membranes, 2125, 2515
Ion properties, 91
Ion selective electrode, 125, 2219
Ion-sensitive microelectrodes, 3785
Ion-storage films, 3075
Ion transfer, 15, 29, 59, 91, 125
Ion transfer kinetics, 85
Ion transfer rate, 3
Ion-transfer voltammetry, 109
Ion transference numbers, 2909
Ionic adsorption, 1207
Ionic conduction in solids, 2105
Ionic conductivity, 605, 1627, 2287, 2351, 4177
Ionic insertion, 4217
Ionic mobility, 3067
Ionic transport, 2019
Ionization of solids, 2947
Ionophores, 2543
Ions, 805, 2053, 2437
Ir oxide, 4515
IR, 3321
IR reflectance spectroscopy, 1423
IR spectroscopy, 269, 3051
Iridium dioxide, 3333
Iridium oxide, 1515, 1525
IrO_2, 3219
IrO_2-Ta_2O_5 anodes, 1509
Iron, 3989, 4443
Iron and chromium, 683
Iron dissolution, 455
Iron membrane, 2693
Iron porphyrin, 1577
Iron-chromium-molybdenum alloys, 4331
Iron-molybdenum alloys, 721
Iron(II) tetrasulphophthalocyanine, 3589
Irregular surfaces, 1255
Irreversible adsorption, 2385
Irreversible capacity, 4069
Isolated-antenna BioFET, 3821
Isopropanol, 1153
Isosafrole, 3333
Isotope, 3111
ITIES, 3, 39, 59
ITO film, 3927

K

Keggin structure, 2117
Kinetics, 117, 1153, 4515, 4743
Kinetic analysis, 841
Kinetic current, 109
Kinetic models, 85, 721, 4331

L

Laminates, 2993
Langmuir—Blodgett technique, 161
Lanthanide, 3063
Lanthanum strontium manganite, 4195
Laplace's equation, 4117
Large diameter flow loop, 4453
Laser applications, 1847
Laser beam effects, 753
Laser Raman spectroscopy, 2571
Laser scattering, 165
Laue method, 3769
Laves-phase hydrogen storage alloy, 1677
Layer-by-layer growth, 1191
Layer-pore-resistance model, 4693
Layered compounds, 1945
Lead-acid batteries, 3491, 4611
Lead chalcogenides, 407
Lead oxide, 1499
Lead passivation, 445

Lead selenide, 2645
Lead sulfate, 445
Lead-tin alloys, 4611
Lead upd, 1359
Lead/sulphuric acid system, 445
Leclanché, 191
Leech, 3785
LEED, 949
Leveling, 299
Li-ion batteries, 4069
Li/Li^+ couple, 2365
$LiAsF_6$, 2365
LiCl-KCl, 797
Lifetime, 3245
LIGA, 3679, 4017
Light absorption, 1989, 3039
Limiting current, 1749
$LiMn_2O_4$, 4593
$LiN(CF_3SO_2)_2$, 3121
Linear free energy relationship, 91
Linear sweep voltammetry, 2019, 2507
$LiNiO_2$ positive electrode, 1607
Liquid crystal cell, 3101
Liquid hydrocarbon/water interfaces, 139
Liquid interfaces, 133
Liquid-liquid interfaces, 15, 29, 47, 165, 4365
Liquid/liquid interface, 15, 165
Lithium, 805, 949, 3067
Lithium batteries, 677, 1607, 2789, 2879, 3521, 4721
Lithium chloride, 797
Lithium cobalt dioxide, 2235
Lithium compounds, 797, 805, 1871
Lithium insertion, 831, 3111, 3251, 3521
Lithium intercalation, 2235
Lithium interface, 2287
Lithium ion battery, 1713, 2379, 2879, 3629
Lithium metal anode, 2337
Lithium metal secondary cells, 2337
Lithium oxide, 4479
Lithium salts, 1667, 677
Lithium stability and interface, 773
Lithium transport, 623
Local cell mechanism, 1677
Local pseudopotentials, 1229
Localised Electrochemistry, 3769
Localization, 3751
Logarithmic relaxation, 1893
Logarithmic time dependence, 337
Low index single crystal surfaces, 1091
Low-energy sputtering, 3927
Low-temperature deposition, 3927

M

MA copolymers, 819
Macrokinetic model, 1543
Magnesium alloy, 711, 3549
Magnesium alloys, 711
Magnesium buffering, 3785
Magnesium regulation, 3785
Magnetic field, 1749
Magnetic recording, 3721
Magneto-optical, 3921
Magnetron sputtering, 3933
Maleic acid, 819
Manganese, 1491
Manganese oxide, 513
Mass transfer, 287
Mass transport, 3389
Mathematical modeling, 491, 3839
Mathematical models, 863, 1871, 1893, 2037, 2073, 2087, 2095, 2829
MCFC, 503
MCM-41, 4601
Mechanical alloying, 711
Mechanism, 2455, 4321, 4573, 4667
Mediation, 1295
Mediators, 1467, 3795
Membranes, 2061, 2087, 2105
Membrane-coated electrode, 2245
Membrane sorption, 2515
Memory effect, 1893
MEMS, 4017
Mercury, 2793
Mercury-coated microelectrodes, 763
Mercury (metal), 763
Mesophase pitch carbon, 2379
Metal complexes, 269
Metal dissolution, 2843
Metal hydride, 2523, 3063
Metal hydride electrode, 353
Metal ion incorporation and chromium oxides, 2941
Metal ions, 819
Metal transfer, 1779
Metal-electrolyte interfaces, 1091
Metal-solid polymer electrolyte electrode, 653
Metallization, 3639
Metallophthalocyanines, 1349
Metallopolymer, 2971
Metallorganic polymers, 2139
Methamphetamine, 3849
Methanol, 1127, 2131, 2437
Methanol electrolyte, 573
Methanol oxidation, 1135, 1447
Methyl viologen, 4817
Methyl-1,4-benzoquinone, 23
Mg metal, 2663
Mg/Mg^{2+} reversibility, 2663
Mg^{2+}-ion conducting gel polymer electrolyte, 2663
Mg_2Ni alloy, 353
Micro ITIES, 47

Micro-machine robot, 3779
Microanalysis, 1847
Microarray electrode, 3629
Microcell, 3751
Microcystis spp., 3779
Microelectrode array, 3865, 3899
Microelectrodes, 763, 2677, 3629, 3751
Microelectronics, 3639
Microgears, 4017
Microhole, 15
Microinterface, 117
Microkinetics, 1543
Micronic scale electrochemistry, 287
Microreactor, 3679
Microstructure, 667, 1847, 3751
Microstructured polymers, 3483
Microstructuring, 3731
Microwaves, 1655
Mild steel, 533
Minimax risk, 3559
Mixed aprotic solvents, 4721
Mixed conductivity, 2087
Mixed electrolytes, 3121
Mixed oxide anode, 2463
Mixed oxides, 1481, 3117, 3137
Mixed potential, 2625
Mixed-valent compound, 415
$MmNi_5$-type electrode, 2853
MnO_2/H insertion electrode, 191
Mobilities, 1301
Model compounds, 1981
Modeling and computer simulation, 4525
Modeling studies, 4357
Modelling, 797
Modified electrodes, 345, 1817, 2307, 2317, 2405, 3409, 3533
Modified surfaces, 1359
Modulus weights, 4163
Molecular dynamics, 1697
Molecular simulation, 1697
Molecular structure, 805, 1865, 1887, 1893, 1933, 1973
Molecular vibrations, 1981
Molten carbonate, 2227
Molten carbonate fuel cell (MCFC), 503, 683
Molten chlorides, 4619
Molten electrolytes, 1779
Molten fluoride, 1761, 2859
Molten materials, 797, 2859
Molten salts, 1559, 2771, 2859
Molybdate, 3911
Molybdenum, 693, 4619
Monomers, 819, 1901, 1911
Monte Carlo methods, 2019
Monte Carlo simulations, 1207, 1221, 1255, 2019
Morphology, 813, 2073, 4655
Mott-Schottky analysis, 2947
Mott-Schottky plots, 2025, 2473, 2947, 4373
Moving front, 2019
Multi-level interconnects, 3639
Multifunctional microelectrode, 3801
Multilayer films, 3401
Multiphase flow, 4453
Multiple internal reflection (MIR), 1953
Multiple regression analysis, 2053

N

N,N'-bis-(4-phenylazosalicylidene) *o*-phenylene diamine, 2543
N-hydroxyphthalimide, 385
N_2, 3585
N_2O, 3585
$NaBH_4$, 3063
NaCl-KCl melt, 4479
Nafion, 1301, 2559, 3367
Nafion membrane, 2245
Nano-holes, 3725
Nano-size particle, 3921
Nanocrystalline materials, 3549
Nanocrystalline solids, 667
Nanostructures, 3891
NaOH + NaF electrolytes, 1341
Naphtho-15-crown-5, 39
NASICON, 2219
Natural water, 4357
Negative impedance, 1707
Negative ions, 1999, 2117
Nernst-Planck equation, 1999
Networks (circuits), 1999
Neurotransmitters, 3809
Neutral aqueous media, 1585
Neutral aqueous medium, 533
Neutral carrier, 2543
Neutral surfactant, 125
Neutron reflectivity, 3533
Newtonian liquids, 263
Ni film, 3933
Ni-Co alloy, 2227
Ni-PVC anodes, 1307
Ni-PVC composite, 1307
Ni/MH battery, 2853
Ni/Mo, 2805
Nickel, 949, 1499
Nickel anode, 1761
Nickel coating, 4007
Nickel containing passive film, 3377
Nickel electrode, 957
Nickel hydroxide electrode, 4007
Nickel hydroxide, 3969
Nickel-iron, 4017
Nickel-metal hydride batteries, 711, 1677, 3549, 4007, 4525

Nickel oxide, 1481, 3969
Nickel oxide films, 2941
Nickel phosphorus electrodes, 4551
Nickel-epoxy electrode, 957
Niobium, 1559, 2571
Niobium pentoxide, 4507
Nitrate reduction, 2193
Nitric oxide, 1077
Nitrite ion, 3809
Nitrobenzenes, 201
Nitrogen compounds, 1887, 1945, 1953, 1981, 1989, 2087, 2095, 2117, 2139
Nitrone, 4631
NLEIS, 433
NO adsorption, 1191
Non-aqueous, 239
Non-Levich approximation, 2281
Non-noble metal, 2589
Nonlinear estimation, 4147
Nonmetallic matrix composites, 2131
Normal pulse voltammetry, 117
Nuclear magnetic resonance, 1397
Nucleation loop, 1733
Nucleation process, 1805
Nucleation, 579, 1847, 2771, 2843, 2843
Numerical analysis, 2235
Numerical simulation, 587, 1749, 2281, 4753

O

O_2 reduction, 1349
OH^- ion electrosorption, 1135
Ohmic drop, 4753
Ohmic resistance, 4693
Oligomers, 1981
Optical absorptions, 1989
Optical and electrochromic properties, 3127
Optical constants, 3093, 3149
Optical properties, 1847, 1973, 1981, 3059
Optical spectroscopy, 781
Optical switching, 3101
Optimization, 579
Organic acids, 1887, 1989
Organic carbonates, 1667
Organic coatings, 363, 2889, 4243, 4251, 4259
Organic electrolytes, 1607
Organic oxidation, 2483
Organic oxidation reactions, 1147
Organophosphorus pesticides, 3855
Organosulfur compound, 2899
Orientation of organic compound, 4707
(100)-Oriented Ti film, 3945
Oscillations, 455, 1707, 4773
Osteoclast, 2677
Overpotential, 2927
Oxidation, 385, 437, 1147, 1403, 1893, 1981, 2131, 2455, 2889, 4029, 4573, 4773
Oxidation of CO, 1379
Oxidation of copper, 4677
Oxidation potential, 2337
Oxidation/reduction, 4515
Oxides, 711, 831, 1689, 2549, 2829
Oxide additions, 711
Oxide film, 4307
Oxide formation, 2507
Oxide growth, 4611
Oxide thin film deposition, 3911
Oxidized HOPG surface, 1805
Oxidized layer, 1761
Oxoanions, 919
Oxocarbons, 1097
Oxohalide salts, 863
Oxygen, 853, 4069
Oxygen electrocatalytic reduction, 3589
Oxygen enrichment, 3839
Oxygen evolution, 1307, 1509, 1515, 1525, 4061
Oxygen oxidation, 337
Oxygen reactions, 1491, 4525
Oxygen reduction, 1317, 1329, 1359, 2589, 2653
Oxygen reduction on gold, 2625
Oxygen vacancies, 1723

P

Paired electrochemical reaction, 587
Paired electrosynthesis, 2605
Palladium, 1397, 1415
Palladized Pd sheet, 3585
PAMPS, 781
Paper, 4817
Paraquat, 4817
Partial reduction, 613
Particle size distribution, 2523
Particle size effect, 1317
Particles (particulate matter), 2131
Partition coefficient, 109
Partition diagrams, 3
Passivating film, 2843, 4693
Passivation, 693, 2157, 2571, 2843, 2947, 3505, 4611
Passivation layer, 3865
Passive electrodes, 3149
Passive films, 2473, 2947, 3969
Passive interphase, 4655
Passive iron, 2765
Passivity, 4795
Patterns, 2993
Pb underpotential deposition, 2645
PbO oxide, 4611
PbO_2, 4061

PC, 2365
Pd foil electrode, 1797
Pd on Pt films, 1031
PECVD Si_3N_4, 3865
PECVD SiO_2, 3865
PEM, 2589
PEM fuel cells, 3283
Penetration, 1871
PEO-urethane, 773
Perchlorate, 999
Perchlorate-acidified-solutions, 931
Percolated growth, 337
Percolation, 4155
Perfluorinated surfactant, 4743
Permalloy, 1567
Permselectivity, 239
Peroxydisulfates, 4079
Pertungstate/tungstate redox mediator, 2605
Petroleum coke, 1667
Peukert, 3491
PH, 219, 2173
PH dependence, 4515
PH effects, 781, 931, 1989, 2125
PH influence, 2125
PH measurement, 415
PH value, 3367
Phase boundary movement, 623, 2235
Phase diagrams, 2351
Phase formation, 47
Phenformine hydrochloride, 957
1-Phenyl-5-mercaptotetrazole, 4129
Phosphate, 999
Photocatalysis, 2507
Photochemical reactions, 1945, 3027
Photochromic, 3017
Photochromism, 3027, 3039
Photoconductivity, 753
Photocurrents, 753, 1945, 2025
Photoelectrochemical cells, 2915
Photoelectrochemistry, 247, 753, 1655, 1945, 2473, 2549
Photoelectrochromic, 3017
Photoelectrodeposition, 2711
Photoinhibition, 643
Photopotential, 2413
Photoreaction, 3833
Phthalocynine, 2971
Picture quality, 3185
Pitch-based carbon fibers, 1455
Pitting corrosion, 643, 4635
Pitting, 643, 2751, 2947, 4795
Planarization, 3721
Plant odour, 3821
Plastic coatings, 2139, 2157
Plastic films, 753, 1871, 1879, 1893, 1901, 1933, 1953, 1973, 2019, 2025, 2037, 2073, 2095, 2105, 2117, 2125, 2131, 2157, 2889
Plastic substrate, 3927
Plasticisers, 863
Plasticized polyelectrolyte, 2287
Plasticizers, 863
Platinum oxide, 467
Platinum-ruthenium alloys, 1447
Platinum, 467, 735, 943, 1091, 1097, 1147, 1163, 1317, 1397, 1415, 1423, 2131, 2157, 2307, 2317, 2455, 2559, 3451, 3505, 4573
PMMA, 3121
Point of zero charge, 1481
Polarization, 1893, 2037, 2053
Polarographic analysis, 819
Polaron absorption, 3051
Poly (vinyl alcohol), 4227
Poly((3-alkyl-)thiophene), 1865
Poly(α,ω-bis(3-thienyl-)alkane), 1865
Poly(3-methylthiophene), 357, 4177
Poly(cyclopentadithiophenes), 4781
Poly(fluorenes), 3409
Poly(*n*-methylpyrrole) coatings, 3321
Poly(*p*-phenylene vinylene), 1919
Poly(pyrrole), 2125
Poly(vinylidenefluoride), 677
Poly-3-methylthiophene, 1901
Polyacrylamide and phenyl phosphonate, 533
Polyaminonaphthoquinone, 1953
PolyAMPS, 4817
Polyaniline, 337, 781, 1543, 1879, 1887, 1945, 1981, 1989, 2061, 2087, 2095, 2117, 2139, 2157, 2405, 2559, 4763
Polyanion, 239
Polybithiophene, 2025
Polycrystalline materials, 2915
Polycrystalline *n*-CdSe, 2915
Polycrystalline silver electrode, 1341
Polydodecylthiophene, 1865
Polyelectrolytes, 819, 863, 2909, 2915
Polyethylene oxides, 863, 2915
Polygermane, 659, 3475
Polyhexylthiophene, 1865
Polymers, 1999, 2993, 3237
Polymer electrolytes, 677, 2351, 2915, 2983, 3219
Polymer morphology, 633
Polymer proton conductor, 4227
Polymeric deposition, 1911
Polymeric membranes, 2087, 2105
Polymeric precursor method, 4507
Polymeric solid electrolyte, 3211
Polymerization, 1847, 2173
Polymethylmethacrylate, 3067
Polymethylpyrrole, 2131
Polymethylthiophene, 1901
Polyoctylthiophene, 1933
Polyparaphenylene, 805, 1933
Polyphenylenediamine, 2037
Polypyridyl metal complex, 279

Polypyrroles, 219, 1733, 1833, 1893, 2053, 2125, 2131, 2889, 3483, 4593, 4655
Polypyrrole derivatives, 2983
Polysilane, 659, 3475
Polystyrenes, 819
Polyterthiophene, 1911
Polyterthiophenes, 1911
Polythienyldodecane, 1865
Polythienylhexane, 1865
Polythiophenes, 1827, 1871, 4189
Polythiophene derivatives, 2983
Polythiophene films, 1871
Polytoluidine, 1973, 2073
Poly[(tetraethyldisilanylene)quinque(2,5-thienylene)], 2579
Pore diffusion, 3491
Pore size distribution, 3513
Porosity, 2859
Porous auxiliary electrode, 1779
Porous cathode, 503
Porous electrode, 2523, 3513
Porous $LiCoO_2$ electrode, 623
Porous structure, 1543
Positive electrode, 4593
Positive ions, 1999, 2087, 2909
Potassium chloride, 797
Potassium compounds, 711, 797
Potassium hexachloromolybdate(III), 4619
Potassium hydroxide, 711
Potential distribution, 2523
Potential drop experiment, 2445
Potential mapping, 4117
Potential modulated reflectance, 3
Potential modulated reflectance spectroscopy, 1289
Potential probe, 4117
Potential-step chronoamperospectrometry, 2245
Potentiodynamic curves, 3361
Potentiodynamic polymerization, 633
Potentiometric selectivity, 2219
Potentiometric sensor, 415
Potentiometry, 2125, 2543, 2677
Potentiostatic current transient, 2235
Potentiostatic electrodissolution, 4677
Power spectral density, 4805
PPy film, 2889
Pre-peak, 4763
Precipitation (chemical), 1911, 2843
Preconcentration, 1817
Premonolayer oxidation, 3451
Preparation procedure, 1509
Pressure modulation, 4443
Printed circuit boards, 1847
Probe beam deflection, 1901
Probe beam deflection technique, 1901, 1953
Procaine, 109
Propagation of conducting zone, 1871
Propylene carbonate, 1871
3-*n*-Propylpyridinium chloride, 3589
Protective coatings, 2139, 2157, 2859
Proton-adsorption, 931
Protonation, 2125
Prussian blue, 415, 3227
Prussian Blue films, 395
Pseudocapacitance, 2829
Pseudomonas fragi, 4685
Pt, 1431
Pt electrodeposition, 1805
Pt single crystal electrodes, 1153
Pt-Sn alloys, 4543
Pt(100) electrode surfaces, 1077
Pt(110) electrode, 1135
Pt(111), 931, 999, 1069, 1127, 1191, 1221, 1379, 1403, 2385
Pt(111) electrode, 1019
Pt(332), 1379
Pulse current plating, 2859
Pulse electrolysis, 3505
Pulse plating, 2859
Pyrolysis, 813
Pyrophosphoric acid, 4073
Pyrrole, 1733, 2173, 2889

Q

Quantum-mechanical simulation, 4079
Quartz applications, 1911, 2095
Quartz crystal microbalance, 299, 467, 1879, 4763
Quartz crystal microbalance (QCM), 2095

R

R.f. sputtering, 3117
Radiotracer, 1789
Raman, 1689, 3111
Raman spectroscopy, 863, 1887, 1981, 1989, 2721, 2879
Rate constants, 59, 797
RDE, 2653
Reaction intermediates, 721
Reaction kinetics, 831, 1127, 1879, 1911
Reaction mechanisms, 1135, 1423
Reaction model, 4743
Reactive sulfur-graphite electrode, 4583
Reactive surfaces, 1827
Rechargeable Li battery, 4593
Reconstruction, 919
Recursive identification, 4147
Redox, 1733

Redox catalysis, 1349
Redox polymers, 3533, 4217
Redox reactions, 23, 357, 1865, 1871, 1879, 1901, 1933, 1945, 1953, 1989, 1999, 2019, 2025, 2037, 2073, 2105, 2117, 2125, 2829, 2915
Redox shuttle, 2789
Reduced β-nicotinamide adenine dinucleotide, 23
Reduced CO_2, 1369
Reduction mechanism, 613
Reduction process, 2853
Reduction, 763, 797, 853, 1893, 2157, 4029
Reductive dissolution, 3725
Reference electrode, 3219
Reflectance infrared spectroscopy, 1369
Reflection spectroscopy, 1091
Refrigerator cooling circuit, 4251
Regression analysis, 2053
Relaxation processes, 1865, 1893
Relaxation, 1865
Reorganization free energy, 133
Resistance, 4321
Resonance, 1989
Resonance Raman Spectroscopy (RRS), 1981, 1989
Retzius neurone, 3785
rf-dc coupled magnetron sputtering, 3927
Rh adlayers, 1191
Rheology, 263
Rhodium electrode, 1369
Rhodium-modified carbon electrodes, 1455
Rotating diffusion cell, 59
Rotating disc electrode, 1617, 2455, 4395, 4573
Rotating disc, ac-impedance spectroscopy, 1341
Rotating ring-disc electrode, 2765, 4331
Rought Pt, 4543
Ru complex, 2493
$Ru(bpy)_3^{2+}$, 3367
Ruthenium, 1289
Ruthenium complex, 2245
Ruthenium compounds, 2131
Ruthenium dioxide, 3333, 4507
Ruthenium oxide, 1515, 2131

S

S rDNA, 3779 16
Sacrificial electrode, 2899
Salicylic acid, 2507
Salts, 863, 1981, 1999, 2843, 2859, 2909
Salt film, 2751
Salt layer, 2843, 4693
Salt species, 773
Salt spray tests, 2139
Samarium magnesium, 3093
SAMs dynamics, 1053
Scanning droplet cell, 3769
Scanning electron microscopy, 2131
Scanning Kelvin probes, 2139
Scanning Kelvin-probe, 2139
Scanning tunneling microscopy, 1447, 1805
Scanning voltammetry, 1617
Screen printing, 2871
Sea water, 2871, 4635
Sea water electrolysis, 597, 2871
Second harmonic generation, 897
Selenoorganic compounds, 4787
Self-assembled monolayers, 3833
Self-discharge, 2829
SEM, 4685
SEM/EDS analysis, 2251
Semiconducting cadmium compounds, 2915
Semiconducting polymers, 1945, 2025
Semiconductive properties, 2947
Semiconductor, 1655, 2711, 3361, 3725
P- and *n*-type semiconductor, 1945
Semiconductors, 3731
Semiconductor materials, 2947
Semiconductor technology, 3899
Sensor, 3401
Sensor chips, 3865
Serotonin, 3809
SERS, 559, 4129
Sheet resistance, 3891
Silica gel, 3589, 4601
Silicon technology, 3761
Silicotungstic acid, 2927
Silver, 1247, 2843, 3667, 4693
Silver compounds, 2843
Silver electrodes, 897, 1789
Silver surface, 1237
Simulation, 2463, 4155
Simultaneous measurements, 3809
Single crystal, 735, 903, 999, 1163, 1221, 1789, 2437
Single crystal electrodes, 1037, 1207, 1389
Single crystals, 943, 3969
Single-stranded DNA, 4233
Smart windows, 3121, 3237
Sodium chromate, 2843
Sodium compounds, 1879, 2843
Sodium dodecyl sulfate, 1879
Sodium hydroxide, 3989
Soft magnetic film, 3885
Sol-gels, 831, 1515, 3051, 3075, 3127
Sol-gel material, 831
Solid electrolytes, 781, 2909
Solid oxide fuel cell, 4195
Solid polymer electrolyte, 949, 3575
Solid state chemistry, 1491
Solid state devices, 781
Solid state magnesium battery, 2663

Solid-state electrochromic window, 3211
Solid-state glass electrode, 415
Solid/fluid interfaces, 263
Solubility, 1559
Solutions, 711, 819, 853, 1953, 2889
Solvation, 3999
Solvent extraction, 29, 4365
Solvent influence, 2053
Solvent properties, 91
Solvents, 805, 1901, 2053
D-Sorbitol, 735, 1163, 1423 ,
Space charge capacitance, 4373
SPE electrolysis method, 653
Specific activity, 1317
Specific conductivity, 2337
Specific DNA probe-immobilized magnetic particles, 3779
Spectroelectrochemistry, 1965, 2579, 2613
Spectrophotometry, 1981
Spectroscopic analysis, 2025, 2139
Spectroscopy, 831, 4619
Spillover, 2805
Spinels, 1491
Spinning viscosity, 2185
SPM, 3725
Sputter beam deposition, 3945
Sputter-deposition, 3059
Sputtering, 3101
Stability, 3227, 3251
Stabilization temperature, 2185
Stainless steel, 305, 2157, 4635, 4685
Statistical study, 2053
Steel, 2173, 2871, 4357
Steel cathodes, 2251
Steel corrosion, 2157
Steel substrate, 3321
Stepped faces, 919
Stirring rate, 2515
Stoichiometry, 1847
Stress, 4415
Stress generation, 1723
Stress generation/relaxation, 1797
Stress release, 1723
Stripping method, 3761
Stripping techniques, 1645
Structural effects, 1431
Substituted polythiophenes, 2739
Substitution effects, 4029
Substrates, 753, 813, 2859, 2871
Succinic acid, 3295
Sulfate bath, 323
Sulfate distribution, 3491
Sulfate reducing bacteria (SRB), 4685
Sulfate, 999
Sulfonate-polyaniline, 207
Sulfur, 4069
Sulfur chemisorption, 1019
Sulfur compounds, 1865, 1871, 1901, 1911, 1933, 1989, 2025, 2915
Sulfur structures, 1019
Sulfur-graphite electrode, 2899
Sulfur-containing organic compounds, 4583
Sulfuric acid, 2927
Sulphate ion, 4395
Sulphur dioxide, 1091
Superlattices, 407
Support interaction, 437
Supported liquid membrane, 59
Supporting electrolyte, 269
Surface, 3989
Surface active agents, 1879
Surface chemistry, 1667
Surface effects, 4443
Surface microfabrication, 3721
Surface migration, 3933
Surface modification, 2879, 4007
Surface morphology, 1509
Surface oxide layers, 3969
Surface Plasmon Resonance (SPR), 3849
Surface pre-treatment, 345
Surface properties, 853
Surface Raman spectroscopy, 559
Surface resistance, 3761
Surface roughness, 373, 1447
Surface tension, 155
Surface treatment, 373, 2879
Surface-active substance, 1707
Surface-enhanced Raman Scattering, 2571
Surfactant complexation, 279
SVET, 4117
Swellings, 1543
Switchable glazing, 3245
Switchable mirror, 3093
Switching voltages, 3245
Synergistic and antagonistic effects, 533
Synergy, 2805
Synthesis, 269
Synthesis (chemical), 853, 1901, 1911, 1933, 1973, 2117, 2889

T

Tafel slopes, 841
Tantalum oxide, 2307, 2317, 2793, 3891
Tantalum, 605, 1689, 3389
Taylor series expansion, 4147
Telluroorganic compounds, 4787
Temperature coefficient, 3891
Temperature dependence, 395
Temperature effects, 3245
2,3,5,6-Tetrachloro-1,4-benzoquinone, 23

Tetrahydrofuran, 3295
Tetramers, 1981
Tetraruthernated porphyrin, 1577
Thallium, 1789
Thallium oxide, 1499
Theory, 4543
Thermal effects, 813, 863, 1865
Thermal pretreatment, 3451
Thermal spray coatings, 4289
Thermodynamic functions, 91
Thermodynamic properties, 1865
Thermodynamics of electrolyte solutions, 421
Thermodynamics of UPDH, 1019
Thick films, 2829
Thin films, 831, 2941, 3059, 3117, 3127, 3137
Thin film electrode, 2379
Thin gold film electrode, 3761
Thin porous coating electrodes, 1329, 3565
Thiocyanate-selective electrodes, 2543
Thiol oxidation, 1349
Thiolate/disulfide redox couple, 2351, 2915
Thionine, 1585
Thioorganic compounds, 4787
Thiophene oligomer, 2579
Thiosulphate, 4129
Thiourea, 299, 579, 2605
Through-hole plating, 1847
Ti film, 3945
Time controlled release, 3801
Time-resolved FTIRS, 1153
Tin, 1379, 1707
Titania, 3017
Titanium complex, 201
Titanium compounds, 2859
Titanium diboride, 2859
Titanium electrodeposition, 421
Tl_2O_3, 4061
Trace metal determination, 3761
Transfer functions, 2095, 2693, 4443
Transfer resistance, 2397
Transition metal oxides, 1491
Transmission line model, 3513
Transpassivity, 4331
Transport properties, 2087
Transverse texture, 2185
Trap sites, 1723
Tubular electrode, 2281
Tungstate, 3911
Tungsten compounds, 781
Tungsten oxide, 781, 3017, 3211
Tungsten trioxide, 3227
Tungstic acid, 781
Tunneling reactions, 3039
Turbostratic structure, 2185
Two-phase electrochemistry, 29
Two-phase flow, 3575

U

UHV, 949
Ultrathin Pd films, 1031
Ultraviolet spectroscopy, 819
Underpotential, 993
Underpotential deposition, 407, 1789, 3295
Underpotential deposition of hydrogen, 1019
Unit cell dimension, 4655
Unusual adsorption states, 931
UPD, 949
User controllable, 3017
UV-VIS-spectroscopy, 819

V

V_2O_5 films, 3051
Vanadium compounds, 831
Vanadium pentoxide, 831
Variable transmission, 3185
Variance of errors, 4163
Vibrational spectroscopy, 863
Viologen, 2971
Vitamin K_1, 763
Vitamins, 763
Vitreous carbon cathode cell, 853
VLSI, 3639
Vogel-Tamman-Fulcher equation, 863
Voltammetric curves, 395
Voltammetry, 15, 323, 797, 819, 1559, 1689, 2909, 3809
Volume change, 219
VTF equation, 2721

W

W(VI, V) mixed-valence sites, 1295
W-NPOE interface, 47
Warburg, 4321
Warburg coefficient, 2073
Water content, 3367
Water electrolysis, 1307
Water flux, 2515
Water oxidation catalyst, 2493
Water uptake, 4243
Wavelet analysis, 4805
Weighted least squares, 4163
White cast iron, 547

Window, 3017
WO_3, 3219
WO_3 films, 3111
Work function, 1229

X

X-ray absorption spectroscopy, 2941
X ray crystallography, 2915
X-ray diffraction, 2915
X ray diffraction analysis, 1945
X ray photoelectron spectroscopy, 2879
X-ray spectroscopy, 3969
XAS, 1283
XPS, 3321

Y

Yttria stabilised zirconia, 4195

Z

Zinc, 191, 819, 2889, 3377, 4307
Zinc chloride, 2771
Zinc deposition, 4743
Zinc oxide, 1655
Zinc-nickel alloys, 1645
Zn substrate, 2889
Zn underpotential deposition, 999
Zn-Ni alloy, 4269
$ZnCl_2 \cdot 4Zn(OH)_2 \cdot H_2O$, 191
ZRA,4289